略語一覧

ADL: activities of daily living (日常生活動作)

CI: confidence interval (信頼区間)

COMT: catechol-*O*-methyl transferase (カテコール-*O*-メチル基転移酵素)

DBS: deep brain stimulation (脳深部刺激療法)

DCI: dopa decarboxylase inhibitor (ドパ脱炭酸酵素阻害薬)

DLB: dementia with Lewy bodies (レヴィ小体型認知症)

|²: I² 統計量

L-ドパ: levodopa (レボドパ)

MAOB: monoamine oxidase B (モノアミン酸化酵素 B)

MD: mean deviation (平均差)

MMSE: Mini-Mental-State Examination

NSAID: nonsteroidal antiinflammatory drug(非ステロイド性抗炎症薬)

OR: odds ratio (オッズ比)

PDSS: Parkinson's Disease Sleep Scale
PDQ: Parkinson's Disease Questionnaire

QOL: quality of life (生活の質)

RBD: rapid eye movement sleep behavior disorder (レム睡眠行動障害)

RCT: randomized controlled trial (ランダム化比較試験)

RR: risk ratio (リスク比)

SNRI: serotonin-noradrenalin reuptake inhibitor(セロトニン・ノルアドレナリン再取り込み阻害薬)

SSRI:selective serotonin reuptake inhibitor(選択的セロトニン再取り込み阻害薬)

UPDRS: Unified Parkinson's Disease Rating Scale

part I : nonmotor experiences of daily living (日常生活における非運動症状)

part Ⅱ:motor experiences of daily living (日常生活で経験する運動症状の側面)

part Ⅲ:motor examination (運動症状の調査) part Ⅳ:motor complications (運動合併症)