

Cerebrovascular disease (Intravascular treatment) 1

Chair : Kenichi Todo

Tokyo Women's Medical University, Japan

Pj-001-1 Transfemoral versus transradial access for mechanical thrombectomy for acute stroke

Kai Nagasawa

Department of Neurology, Saiseikai Shiga Hospital, Japan

Pj-001-2 Outcomes of Stent Retriever Angioplasty for Intracranial Atherosclerotic Large Vessel Occlusion

Yohei Tateishi

Department of Neurology and Stroke, Nagasaki University Hospital, Japan

Pj-001-3 Clinical Features of Increased Cerebral Microbleeds After Mechanical Thrombectomy

Hiroaki Otsuka

Department of Neurology and Stroke, Nagasaki University Hospital, Japan

Pj-001-4 Efficacy of Dual stent retriever technique for bifurcation occlusion

Nobuaki Yamamoto

Department of Neurology, Tokushima University Hospital, Japan

Pj-001-5 Mechanical thrombectomy for large-vessel occlusion due to cancer-associated stroke

Kosuke Okamoto

Osaka Metropolitan University Hospital, Department of Neurology, Japan

Cerebrovascular disease (Examination/ Clinical evaluation)

Chair : Yasuyuki Iguchi

The Jikei University, Japan

Pj-002-1 The influence of dyslipidemia and statin on gut microbiota in the stroke patients

Toshiyasu Ogata

Department of Neurology, Fukuoka University Hospital, Japan

Pj-002-2 Differences in ABI and Echocardiographic Findings by Intracranial Stenosis Location in Acute Stroke

Ayumu Konno

Iwate Prefectural Chubu Hospital, Japan / Division of Neurology and Gerontology, Department of Internal Medicine, School of Medicine, Iwate Medical University, Japan

Pj-002-3 Ultrasonographic Screening for Internal Carotid Artery Occlusion Using Color Doppler Imaging

Yoshiaki Kakehi
Nara Medical University, Japan

Pj-002-4 The Utility of AI-Based Electrocardiograms in Detecting Atrial Fibrillation in ESUS

Kojiro Usui
Department of Neurology, Faculty of Medical Sciences, University of Fukui, Japan

Pj-002-5 Usefulness of implementing alerts in ward ECG monitoring for detecting atrial fibrillation

Jun Togashi
Tokai University Hospital, Japan

Pj-003 Japanese Poster Session 003

Jp

May 20 (Wed) 17:20 ~ 18:40 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Cerebrovascular disease (Clinical study) 1

Chair : Shigeru Fujimoto
Division of Neurology, Department of Medicine, Jichi Medical University, Japan

Pj-003-1 Super acute symptomatology of lateral medullary infarction

Yasumasa Yamamoto
Department of Neurology, Kyoto Katsura Hospital, Japan

Pj-003-2 Important Considerations for the early diagnosis of Spinal Cord Infarction

Tomoko Yamaguchi
Saitama Medical University, Department of Neurology, Japan

Pj-003-3 Clinical Features of Post-Stroke Neuropsychiatric Syndrome

Mai Marumori
Department of Neurology The Jikei University School of Medicine, Japan

Pj-003-4 Radiological features and clinical outcomes of vertebral artery dissection presenting with pain

Junki Fukumoto
Department of Neurology, Niigata City General Hospital, Japan / Department of Cerebrovascular medicine, Niigata City General Hospital, Japan

Pj-003-5 Investigation of Perforating Artery Infarction in the Same Branch during Acute Cerebral Hemorrhage

Naoki Oyama
Department of Stroke Medicine, Kawasaki Medical School, Japan

Pj-003-6 Atypical Ataxia Suggesting Non-Decussating Fibers in Two Cases of Midbrain Infarction

Naoki Hayakawa
Sumitomo Hospital, Japan

Pj-003-7 Clinical presentation of spontaneous cervical epidural hematoma and the usefulness of CT diagnosis

Yusuke Sakata

Department of Neurology, Niigata City General Hospital, Japan / Department of Cerebrovascular medicine, Niigata City General Hospital, Japan

Pj-004 Japanese Poster Session 004

Jp

May 20 (Wed) 17:20 ~ 18:40 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Dementia (Clinical study) 1

Chair : Tomoyuki Kamata

Musashino Red Cross Hospital, Dept. of Neurology, Japan

Pj-004-1 Factors Associated with Delusions of Theft in Patients at a Memory Clinic

Yoshinari Kawai

Department of Neurology, Oyamada Memorial Spa Hospital, Japan

Pj-004-2 Characteristics of Driving Skills in Alzheimer's Disease and Mild Cognitive Impairment

Chika Shichijo

Department of Neurology, Saga University, Japan

Pj-004-3 Annual Analysis of Clinical Characteristics in New Patients at a Memory Clinic

Eri Sano

Department of Neurology, Rakuwakai Otowa Rehabilitation Hospital, Japan

Pj-004-4 Efficacy of Brexpiprazole for Agitation in Outpatients With Alzheimer's Disease

Yuka Watanabe

Department of Neurology Dokkyo Medical University, Japan / Dokkyo Medical University Nikko Medical Center, Japan

Pj-004-5 Cognitive Change by Follow-up Patterns After Initial Visit to a Dementia Disease Medical Center

Yoshinori Kajimoto

Department of Neurology, Wakayama Medical University Kihoku Hospital, Japan / Wakayama Medical University Kihoku Hospital Dementia Disease Medical Center, Japan

Pj-004-6 Educational Attainment, Cognitive Decline and Small Vessel Disease in Alzheimer's Disease

Hiroo Kasahara

Department of Neurology Gunma University Hospital, Japan

Pj-004-7 Serum vitamin B12 and cognitive function in a community memory clinic: a cross-sectional study

Tetsuya Oyama

Yokkaichi Municipal Hospital, Japan

Dementia (Neuroimaging)

Chair : Hiroaki Tanaka

Tokyo Metropolitan Ohtsuka Hospital Department of Neurology, Japan

Pj-005-1 Longitudinal Changes in Structural & Functional MRI in the Preclinical Stage of Alzheimer's Disease

Misa Ohashi

Nagoya University, Japan

Pj-005-2 Differences in cerebral blood flow scintigraphy findings between Alzheimer's disease and SNAP

Yasutake Tada

Department of Neurology, Kanazawa university, Japan

Pj-005-3 The availability of diagnostic algorithms for MCI based on AMPA receptor distribution

Sakiko Tsugawa

Department of Physiology, Yokohama City University Graduate School of Medicine, Japan

Pj-005-4 Temporal muscle thickness and VSRAD-based brain atrophy in older adults

Toshiyuki Kondo

Neuroscience, Department of Internal Medicine 3rd, Yamagata University School of Medicine, Yamagata, Japan

Pj-005-5 Development of an AI Model for Amyloid Screening Incorporating an Equivocal Zone

Tetsutaro Ono

Dai Nippon Printing Co., Ltd. Information Innovation Operations, Japan

Pj-006 Japanese Poster Session 006**Dementia (Alzheimer's diseases) 1**

Chair : Aki Nakanishi

Osaka Metropolitan University Graduate School of Human Life and Ecology, Japan

Pj-006-1 Dementia Treatment in new era: Implementation and Challenges of Anti-AB Medication at Our Hospital

Anri Sakurai

Department of Neurology, Juntendo Tokyo Koto Geriatric Medical Center, Japan

Pj-006-2 Efficacy and safety of anti-amyloid-beta immunotherapy for Alzheimer's disease patients

Yuka Hayashi

Department of Neurology, Jichi Medical University, Saitama Medical Center, Japan

- Pj-006-3** Current Status and Future Prospects of Lecanemab Use in Our Hospital
Takeo Oshima
Saiseikai Utsunomiya Hospital, Department of Neurology, Japan
- Pj-006-4** Current Status After the Introduction of Anti-amyloid Antibody Therapy in Our Hospital
Tetsuhito Kiyozuka
Mishuku Hospital Department of Neurology, Japan
- Pj-006-5** Characteristics of cases treated with anti-amyloid antibody therapy
Tadashi Tsukamoto
Department of Neurology, National Hospital of Neurology and Psychiatry, Japan / Dementia Center, National Hospital of Neurology and Psychiatry, Japan
- Pj-006-6** Anti-Abeta antibody drug treatment for mild dementia at our hospital
Shingo Mikami
Saitama Medical University Department of Neurology, Japan
- Pj-006-7** Characteristics of Dementia Referrals and Use of Anti-Amyloid-beta Antibody Therapy at Our Hospital
Shun Watanabe
Gifu Prefectural Tajimi Hospital, Japan

Pj-007 Japanese Poster Session 007

Jp

May 20 (Wed) 17:20 ~ 18:40 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Dementia (Clinical study) 2

Chair : Shigehisa Ura

Department of Neurology, Japanese Red Cross Asahikawa Hospital, Japan

- Pj-007-1** Factors Associated with Brain Atrophy Progression in a Dementia Cohort Study in the Tango Region

Kengo Tsuji

Department of Neurology, North Medical Center Kyoto Prefectural University of Medicine, Japan

- Pj-007-2** withdrawn

- Pj-007-3** Long term efficacy of matcha green tea on cognition in older adults

Moeko Shinohara

Department of Neurology, Kanazawa University, Japan

- Pj-007-4** Driving Perceptions and Cognitive Functions of Old Drivers and Their Families in Japan-2nd

Yumiko Kutoku

Department of Neurology, Kawasaki Medical School, Japan

- Pj-007-5** Ten years after diagnosis of MCI and AD in 2012, using the 2011 NIA-AA guidelines (first report)

Manabu Tsumoto

JCHO Tokyo Takanawa Hospital, Department of Neurology, Japan

- Pj-007-6** Factors behind of decision for anti-amyloid therapy in Alzheimer's disease
Miki Aikawa
 Neurology of Kameda Medical Center, Japan

Pj-008 Japanese Poster Session 008

Jp

May 20 (Wed) 17:20 ~ 18:40 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Parkinson's disease (Pharmacotherapy) 1

Chair : Yuta Kajiyama
 Department of Neurology, Kawasaki Medical School, Japan

- Pj-008-1** 5 cases of advanced Parkinsons Disease treated by combination of Device-Aided Therapies
Toyohiro Sato
 Department of Neurology and Neuroscience, Nagoya City University, Japan

- Pj-008-2** Experience with continuous subcutaneous foslevodopa/foscarbidopa infusion in our hospital
Masahiro Kanai
 Department of Neurology, Ichinomiyanishi Hopital, Japan

- Pj-008-3** Experience with continuous subcutaneous foslevodopa/foscarbidopa infusion: A six-patient case series
Hiroki Hikichi
 Department of Neurology, Hirosaki University Hospital, Japan

- Pj-008-4** Early effect attenuation with continuous subcutaneous foslevodopa/carbidopa: exploratory study
Hiroyuki Suzuki
 Department of Neurology, Aichi Medical University, Japan / Parkinson's Disease Advanced Therapy Center, Aichi Medical University Hospital, Japan

- Pj-008-5** Evaluation of Foslevodopa/Foscarbidopa in Elderly Parkinson's Disease Patients
Kosuke Suzuki
 Yokohama City University Medical Center, Japan

- Pj-008-6** The consideration of Levodopa continuous subcutaneous infusion therapy in our hospital's case study
Yuichi Miyagi
 NHO Sagamihara HP, Japan

Parkinson's disease (Non-motor symptoms/ Autonomic dysfunction) 1

Chair : Makoto Takahashi

Division of Neurology and Gerontology, Department of Internal Medicine, Iwate Medical University, Japan

- Pj-009-1** Natural sleep at home and psychosis in Parkinson's disease:
A post-hoc analysis of ZEAL study

Hiroshi Kataoka

Nara Medical University, Neurology, Japan

- Pj-009-2** Association between sleep symptoms and clinical features in
Parkinson's disease and related disorders

Shinsuke Omata

Department of Neurology, Dokkyo Medical University, Japan

- Pj-009-3** Factors Contributing to the Emergence of Non-Motor Fluctuations in
Parkinson's Disease

Asako Kakimoto

Department of Neurology, Juntendo University Faculty of Medicine, Japan / Department of Neurology, Konishi Daiichi Hospital, Japan

- Pj-009-4** Non-Motor Symptoms and QOL in Advanced and Non-Advanced
Parkinson's Disease: A Cross-Sectional Study

Michiru Horiuchi

Department of Neurology, Biomedical Research Center, Hirosaki University Graduate School of Medicine, Japan / Department of Neurology, Aomori Prefectural Central Hospital, Japan

- Pj-009-5** Associations of sleep disturbances with quality of life and non-motor
symptoms in patients with PD

Kanakano Kurihara

Department of Neurology, Fukuoka University, Japan

- Pj-009-6** Clinical Features of Parkinson's Disease with Suspected REM Sleep
Behavior Disorder

Kazuya Minemura

Department of Neurology, Kitasato University School of Medicine, Japan

Parkinson's disease (Clinical study) 1

Chair : Hiroo Terashi

Department of Neurology, Tokyo Medical University, Japan

- Pj-010-1** Quantitative Evaluation of Finger Tapping in Parkinson's Disease
Using Video Analysis

Takashi Sugiyama

Department of Neurology, Faculty of Medicine, University of Miyazaki Hospital, Japan

Pj-010-2 Induction and Quantitative Evaluation of Freezing of Gait Using a VR-Based Gait Analysis System

Kazuhide Seo

Department of Neurology, Saitama Medical University, Japan

Pj-010-3 Clinical Features of Parkinson's Disease With Normal MIBG Scintigraphy and Olfaction

Soutarou Taguchi

Parkinson's Disease Advanced Therapy Center, Aichi Medical University Hospital, Japan /

Department of Neurology, Aichi Medical University, Japan

Pj-010-4 AI-based electronic stethoscope analysis of swallowing sounds in Parkinson's disease

Ryotaro Matsuyama

Department of Clinical Neuroscience and Therapeutics, Hiroshima University Graduate School of Biomedical and Health Sciences, Hiroshima, Japan

Pj-010-5 Longitudinal analysis of spinal alignment in patients with Parkinson's disease

Yuki Akiba

Tokyo Medical University Department of Neurology, Japan

Pj-010-6 Association between plasma fibrinogen and neurodegeneration in Lewy body diseases

Tadashi Umehara

Department of neurology, The Jikei University School of Medicine, Japan

Pj-011 Japanese Poster Session 011

JP

May 20 (Wed) 17:20 ~ 18:40 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Parkinson's syndrome 1

Chair : Tadashi Adachi

Division of Neuropathology, Tottori University, Japan

Pj-011-1 Postural control strategies during cognitive tasks in patients with progressive supranuclear palsy

Ryo Onuma

Department of Physical Therapy, Faculty of Health Sciences, Mejiro University, Japan /

Department of Rehabilitation Medicine, Institute of Science Tokyo University Graduate School, Japan

Pj-011-2 FLAIR hyperintensity in midbrain/pontine tegmentum and superior cerebellar peduncle in PSP

Shuhei Takasawa

University of Toyama, Japan

Pj-011-3 Non motor symptoms of autopsy confirmed progressive supranuclear palsy

Aya Kawanami

Division of Neurology, National hospital organization, NHO Sagamiara National Hospital, Japan

Pj-011-4 Midbrain Atrophy and Clinical Features in Parkinson disease and Progressive Supranuclear Palsy

Tatou Iseki

Department of Neurology, Juntendo University School of Medicine, Japan

Pj-011-5 Usefulness of MRI midbrain anteroposterior diameter measurement in progressivesupranuclear palsy

Hiroataka Nomiya

Department of Biochemistry and Cell Biology, Faculty of Medical Sciences, University of Fukui, Japan / Department of Gastroenterology, Division of Medicine, Japan

Pj-011-6 SPECT patterns in Parkinson's disease, progressive supranuclear palsy, and multiple system atrophy

Keisuke Yoshimura

Department of Neurology Kanazawa University Graduate School of Medical Sciences, Japan

Pj-012 Japanese Poster Session 012

Jp

May 20 (Wed) 17:20 ~ 18:40 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Motor neuron disease (ALS : Clinical practice) 1

Chair : Haruhiko Banno

Center for iPS cell research and application (CiRA), Kyoto University, Japan

Pj-012-1 Diagnostic Adjunct Role of Speech-Swallow Dissociation in Bulbar-Onset ALS

Shinji Miyagawa

Department of Neurology, The Jikei University Kashiwa Hospital, Japan

Pj-012-2 The findings of the patients with ALS presenting the only lower motor neuron symptoms

Keiko Ohnari

Department of Neurology, School of Medicine, University of Occupational and Environmental Health, Japan

Pj-012-3 The promise of fasciculation ultrasound score in amyotrophic lateral sclerosis diagnosis

Takamasa Kitaoji

Department of Neurology, Graduate School of Medical Science, Kyoto Prefectural University of Medicine, Japan

Pj-012-4 Electrodiagnostic Findings Contributing to Early Diagnosis of Amyotrophic Lateral Sclerosis

Shiori Asano

Department of Neurology and Stroke Medicine, Yokohama City University, Japan

Pj-012-5 Utility of needle electromyography of the digastric muscle anterior belly in the diagnosis of ALS

Tatsuya Fukumoto

Department of Neurology, Tokushima University, Japan

Pj-012-6 The clinical course, electrophysiological findings and treatment in 7 SOD1-ALS patients

Atsuko Tsuneyama

National Center Hospital, National Center of Neurology and Psychiatry, Neurology, Japan

Pj-012-7 A novel SOD1 G41C mutation in late-onset and rapidly progressing familial ALS: two autopsy cases

Asuka Funai

Department of Neurology, Tokyo Metropolitan Neurological Hospital, Japan / Department of Laboratory Medicine and Pathology (Neuropathology), Tokyo Metropolitan Neurological Hospital, Japan

Pj-013 Japanese Poster Session 013

Jp

May 20 (Wed) 17:20 ~ 18:40 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Motor neuron disease (SMA • Others)

Chair : Hiroshi Tsuji

Osaka Metropolitan University, Japan

Pj-013-1 Clinical course of 5 cases of spinal muscular atrophy with ongoing evaluation of treatment efficacy

Rina Ando

Ehime University Hospital Neurology and Clinical Pharmacology, Japan

Pj-013-2 Autopsy of an 86-Year-Old Man with Non-5q SMA Harboring Homozygous VPK1 c.C767T (p.T256I) Variant

Kenta Tominaga

Department of Neurology, Graduate School of Medicine, The University of Tokyo, Tokyo, Japan

Pj-013-3 Bone Fragility and Fracture Characteristics in Patients with Spinal and Bulbar Muscular Atrophy

Takahiro Kawase

Department of Neurology, Nagoya University Graduate School of Medicine, Japan

Pj-013-4 Reduced FVC in SMA Results From Intercostal Muscle Impairment Despite Preserved Diaphragm Function

Jun Kozuki

Division of Neurology, Kobe University Graduate School of Medicine, Japan

Pj-013-5 Genotype-Phenotype and Candidate Biomarkers in Adult SMA: A Longitudinal Cohort

Chikashi Yano

Department of Neurology and Geriatrics, Kagoshima University Graduate School of Medical and Dental Sciences, Japan

Cerebellar ataxia • Spastic paraplegia (SCD) 1

Chair : Kazuhiro Ishii

Department of Neurology, Ichihara Hospital, Japan

Pj-014-1 Quantitative Assessment of the Finger-to-Nose Test Using Apple Vision Pro

Nobuhiko Ohashi

Department of Medicine (Neurology and Rheumatology), Shinshu University School of Medicine, Japan

Pj-014-2 Development of a PC- and Smartphone-Compatible App “J-CAT ePRO” and a Single-Center Pilot Study

Shinji Oda

Department of Neurology, National Center of Neurology and Psychiatry, Japan

Pj-014-3 Identifying Motor Scales for Evaluating IV Protirelin Therapy in Spinocerebellar Degeneration

Yuta Madokoro

Nagoya City University Graduate School of Medical Sciences, Japan

Pj-014-4 Effects of transcutaneous periodic vibratory stimulation on gait and balance function in SCD

Naohiko Togashi

NHO Sagamihara Hospital, Japan

Pj-014-5 Evaluation of combined intensive rehabilitation and tDCS effects by severity in degenerative ataxia

Hiroaki Fujimoto

Neurorehabilitation Research Institute, Morinomiya Hospital, Japan

Neuroimmunology (MS: Clinical signs and symptoms)

Chair : Takayuki Kondo

Kansai Medical Medical Center, Japan

Pj-015-1 Four Cases of Oligoclonal Band-Positive Patients with Longitudinally Extensive Spinal Cord Lesions

Takuya Nishimura

Department of Neurology, NTT Medical Center Tokyo, Japan

Pj-015-2 A study of three cases of recurrent or progressive spinal cord lesions

Youji Suzuki

Department of Neurology, Yaizu City Hospital, Shizuoka, Japan

Pj-015-3 Quantitative longitudinal MRI analysis of myelin volume and microstructure in multiple sclerosis

Isamu Takai

Department of Neurology, Faculty of Medicine, Juntendo University, Japan

Pj-015-4 Adverse childhood experiences and mental health in patients with CNS demyelinating diseases

Tomoko Okamoto

Department of Neurology, National Center Hospital, National Center of Neurology and Psychiatry, Japan

Pj-015-5 Longitudinal trajectories of SDMT scores and associated clinical factors in patients with MS

Chihiro Fujii

Department of Neurology, Kansai Medical University Medical Center, Japan

Pj-016 Japanese Poster Session 016

Jp

May 20 (Wed) 17:20 ~ 18:40 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Neuroimmunology (MS·NMO) 1

Chair : Takafumi Hosokawa

Division of Neurology, Department of Internal Medicine IV, Osaka Medical and Pharmaceutical University, Japan

Pj-016-1 Aging of the patients with neuromyelitis optica spectrum disorder in the Noto Peninsula, Japan

Tsuyoshi Hamaguchi

Department of Neurology, Kanazawa Medical University, Japan

Pj-016-2 Three NMOSD cases with negative anti-AQP4 antibody by ELISA but positive by CBA

Takafumi Hosokawa

Division of Neurology, Department of Internal Medicine IV, Osaka Medical and Pharmaceutical University, Japan

Pj-016-3 Clinical Features of AQP4- and MOG-Antibody-Negative Longitudinally Extensive Transverse Myelitis

Mika Yokota

Department of Neurology, Tokyo Metropolitan Bokutoh Hospital, Tokyo, Japan

Pj-016-4 Third Ventricle Width as a marker of Brain Atrophy in AQP4-Antibody-Positive Neuromyelitis Optica

Yusuke Nishimura

Kyoto Prefectural University of Medicine, Department of Neurology, Japan

Pj-016-5 Comprehensive immune cell analysis in two Neuromyelitis Optica relapses under CD19 blockade

Ryusei Nishigori

Department of Neurology, Kyoto University Graduate School of Medicine, Japan / Department of Immunology, Kyoto University Graduate School of Medicine, Japan

Neuroimmunology (Clinical study) 1

Chair : Kazumasa Yokoyama

Tohsei center for neurological diseases, Japan

Pj-017-1 Clinical features of four patients with Immune effector Cell-Associated Neurotoxicity Syndrome

Ayaka Seki

Department of Neurology, The University of Tokyo Hospital, Japan

Pj-017-2 Clinical Features of 50 Patients with ICI-Related Myositis/Myasthenia Overlap Syndrome

Tomoya Kawazoe

Department of Neurology, Tokyo Metropolitan Neurological Hospital, Japan

Pj-017-3 Infectious Complications in Patients Receiving Biologic Agents at an Acute Care Hospital

Ryoji Kurosawa

Ota Memorial Hospital, Japan

Pj-017-4 Complications of blood purification therapy for neuroimmunological disorders

Miwa Ito

Chiba Rosai Hospital, Japan

Pj-017-5 Evaluation of Plasmapheresis via Peripheral Venous Access in Neuroimmunological Disorders

Yuji Tomizawa

Department of Neurology, Faculty of Medicine, Juntendo University, Japan

Neuropathy (Hereditary neuropathy) 1

Chair : Nagaaki Katoh

Department of Medicine (Neurology and Rheumatology), Shinshu University, Japan

Pj-018-1 Genetic and clinical features of hereditary transthyretin amyloidosis

Toshiya Nomura

Department of Neurology, Kumamoto University, Japan

Pj-018-2 Analysis of the therapeutic effects in early-onset V30M hereditary ATTR amyloidosis

Yohei Misumi

Department of Neurology, Kumamoto University, Japan

Pj-018-3 Assessment of small fiber impairment using sudomotor test in patients with ATTR and AL amyloidosis

Teruya Morizumi

Department of Neurology, Shinshu University Hospital, Japan

Pj-018-4 The analysis of the transthyretin C-terminal fragments in multiple organs with ATTRv amyloidosis

Tomoaki Taguchi

Department of Neurology, Kumamoto University, Japan

Pj-018-5 The status and challenges of patients with hereditary transthyretin amyloidosis in Oita prefecture

Kosuke Suzuki

Department of Neurology, Faculty of Medicine, Oita University, Japan

Pj-019 Japanese Poster Session 019

Jp

May 20 (Wed) 17:20 ~ 18:40 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Neuromuscular junction disease (Clinical study) 1

Chair : Kazuo Iwasa

Ishikawa Prefectural Nursing University, Japan

Pj-019-1 Clinical Characteristics in Patients with Low-Positive Anti-AChR Antibody

Ryo Sasaki

Kagawa prefectural central hospital, Japan

Pj-019-2 Investigation of the Relationship Between Serum Galectin-3 and Prognosis in Myasthenia Gravis

Kentaro Kurumada

Chiba University Hospital, Japan

Pj-019-3 Pathological Evaluation of nmTEC Density in the Thymus of MG and Asymptomatic Individuals

Yuichiro Tagane

Department of Clinical Neuroscience and Therapeutics, Hiroshima University Hospital, Japan

Pj-019-4 Clinical Features and Prognosis of Myasthenic Crisis

Kyosuke Takasaka

Department of Neurology, Chiba University Hospital, Japan

Pj-019-5 Complications of thyroid malignancy in myasthenia gravis

Naoya Minami

Department of Neurology NHO Hokkaido Medical Center, Japan

Pj-019-6 Clinical studies of 3 cases of MuSK-MG treated at our hospital over the past five years

Taibo Uchida

Department of Neurology, University of Fukui, Japan

Pj-019-7 Clinical Characteristics of Five Cases of Lambert-Eaton Myasthenic Syndrome in Our Institution

Yuta Tsujiguchi

Kanazawa University Hospital Department of Neurology, Japan

Pj-020 Japanese Poster Session 020

Jp

May 20 (Wed) 17:20 ~ 18:40 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Neuromuscular junction disease (MG: Treatment (molecular targeted therapies and novel agents)) 1

Chair : Yasushi Suzuki

National Hospital Organization Sendai Medical Center, Japan

Pj-020-1 Clinical Factors Associated with Treatment Response to FcRn Inhibitors in Myasthenia Gravis

Takao Kiriya

Nara Medical University, Department of Neurology, Japan

Pj-020-2 Association Between Biomarkers and Retreatment Intervals in MG Patients Treated With FcRn Inhibitors

Yasunobu Hoshino

Department of Neurology, Juntendo University School of Medicine, Japan

Pj-020-3 Effect of oral steroid reduction with FcRn antagonist on generalized myasthenia gravis

Hiroki Sarukawa

Department of Neurology, Fuji City General Hospital, Japan

Pj-020-4 Opposing Effects of Efgartigimod and Rozanolixizumab on Serum Albumin

Manato Yasuda

Department of Neurology, Graduate School of Medicine, Chiba University, Japan

Pj-020-5 Post-marketing all-case surveillance of rozanolixizumab in gMG: Second report

Kentaro Taki

UCB, Tokyo, Japan

Pj-020-6 A Case of Anti-MuSK Antibody-Positive MG with Pregnancy and Childbirth During FcRn Inhibitor Therapy

Rie Kuroda

Department of Neurology, Tokyo Women's Medical University, Japan

Muscle disease (Muscular dystrophy)

Chair : Tetsuro Sakamoto

National Hospital Organization Kumamotominami National Hospital, Japan

Pj-021-1 Life prognosis of Duchenne muscular dystrophy patients at our hospital

Seiya Noda

Department of Neurology, National Hospital Organization Suzuka Hospital, Japan

Pj-021-2 Clinical Characteristics of 3 Cases of Oculopharyngeal Muscular Dystrophy

Kenichi Enatsu

Department of neurology, Musashino Red Cross Hospital, Japan

Pj-021-3 The Benefits of Rehabilitation for Female Dystrophinopathy Presenting Respiratory Muscle Paralysis

Risako Furuta

University of Toyama, Japan

Pj-021-4 Thiamine transporter in DMD and model cells and model animals

Takao Mitsui

NHO Tokushima Medical Center West, Japan

Pj-021-5 A retrospective study on long-term renal function in patients with Duchenne muscular dystrophy

Masato Kadoya

National Hospital Organization Shimoshizu National Hospital, Japan

Pj-021-6 Pneumothorax associated with Ullrich congenital muscular dystrophy

Tadashi Ozawa

Division of Neurology, Department of Medicine, Jichi Medical University School of Medicine, Japan

Pj-021-7 Multicenter Study on Timing for Initiating Alternative Nutrition in Duchenne Muscular Dystrophy

Toshiyuki Yamamoto

Department of Neurology, National Center Hospital, National Center of Neurology and Psychiatry, Japan

Neuroinfection (Viral and bacterial infections)

Chair : Takuya Ohkubo

Department of Neurology, Yokohama City Red Cross Hospital, Japan

Pj-022-1 Pathophysiology-Based Prognostic Modeling of Varicella-Zoster Virus (VZV) Meningitis

Taiki Yabumoto

Suita Municipal Hospital Neurology Department, Japan

Pj-022-2 Clinical Findings and Treatment for Varicella-Zoster Virus Meningoencephalitis at Our Institution

Minori Kurashina

Ina Central Hospital Department of Neurology, Japan

Pj-022-3 Time to Cerebrospinal Fluid VZV-DNA Clearance and Associated Factors in VZV Meningitis

Soichiro Shibata

Department of Neurology, St. Marianna University School of Medicine, Japan

Pj-022-4 VZV meningitis/meningoencephalitis before and after amenamevir: a retrospective observational study

Ko Hiyama

Aomori prefectural central hospital Department of neurology, Japan

Pj-022-5 Clinical characteristics of varicella zoster meningitis/meningoencephalitis: a case series

Hiroki Takatsu

Department of Neurology, The Jikei University Katsushika Medical Center, Tokyo, Japan

Pj-022-6 Clinical Characteristics of Herpes Zoster-Associated Viral Meningitis in Our Hospital

Masanori Mizuno

Saiseikai Utsunomiya Hospital, Department of Neurology, Japan

Pj-022-7 Clinical Features and Outcomes of Viral Encephalitis With Normal CSF Cell Count

Kazuki Hirose

Department of Neurology, Tokyo Metropolitan Bokutoh Hospital, Tokyo, Japan

Headache (Migraine)

Chair : Miho Iigaya

Kitasato University, Kitasato Institute Hospital, Neurology, Japan

Pj-023-1 Investigation of MMD and MIDAS in migraine patients with CGRP mAbs

Kyogo Shirai

Kitasato Institute Hospital, Neurology, Japan

Pj-023-2 Review and vision of anti-CGRP monoclonal antibodies to migraine in our hospital

Shizuko Matsuoka

Manaka Hospital, Japan

Pj-023-3 Efficacy of Anti-CGRP Therapy: Insights into Dechronification and MOH Withdrawal in Migraine

Hideyo Kasai

Department of Neurology, Showa Medical University School of Medicine, Japan

Pj-023-4 Long-Term Outcomes with Galcanezumab in Our Hospital

Akihiro Fujii

Department of Neurology, Saiseikai Shiga Hospital, Japan

Pj-023-5 Prevalence of primary headaches in a headache clinic over 25 years: a retrospective study

Junko Nakamura

Manaka Hospital, Japan

Pj-023-6 Observational study on the usefulness of lasmiditan in migraine patients

Saro Kobayashi

Department of Neurology, Dokkyo medical university, Japan / Stroke division, Department of Neurology, Dokkyo medical university, Japan

Clinical neurophysiology 1

Chair : Hiroto Takada

Aomori National Hospital, Japan

Pj-024-1 Semi-Supervised Learning for Automatic Resting EMG Identification
Hiroyuki Nodera

Neuromuscular Disease Center, Tenri Hospital, Japan

Pj-024-2 Identifying Sleep and Autonomic Abnormalities in Neurodegeneration with Nocturnal SpO₂, PtcCO₂, PTT

Keito Ishihara

Department of Clinical Neuroscience and Therapeutics, Hiroshima University Graduate School of Biomedical and Health Sciences, Japan

Pj-024-3 Effects of olfactory stimulation on brain activity and cognitive function

Yusuke Kousaka

Department of Neurology, Nagoya University, Japan

Pj-024-4 Probe Angle Adjustment in Muscle Ultrasound Reveals Reduced Anisotropy in Disease Muscles

Ryosuke Sugisawa

Division of Neurology, Kobe University Graduate School of Medicine, Japan

Pj-024-5 Detection rate of non-convulsive status epilepticus using portable EEG and its outcomes

Toshiyuki Nagai

Kitasato University, Japan

Pj-024-6 Two cases of atlantoaxial subluxation evaluated using median nerve somatosensory evoked potentials

Kazuki Yamada

Department of Neurology, Graduate School of Medicine, The University of Tokyo, Japan

Pj-024-7 Electrophysiological findings in 8 cases of adrenoleukodystrophy before and after transplantation

Yasufumi Hayashi

Department of Neurology, Graduate School of Medicine, The University of Tokyo, Japan

Pj-025 Japanese Poster Session 025

Jp

May 20 (Wed) 17:20 ~ 18:40 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Neurorehabilitation, Medical engineering, Medical treatment for incurable diseases 1

Chair : Yoshitaka Yamanaka

Division of Community Care and Patient Care Service, Chiba University Hospital, Japan

Pj-025-1 Effectiveness of HAL in three cases of hereditary spastic paraplegia

Masayuki Tahara

Department of rehabilitation, National Hospital Organization Utano National Hospital, Japan / Clinical Research Center, National Hospital Organization Utano National Hospital, Japan

Pj-025-2 Effectiveness of Hybrid Assistive Limb[®] (HAL[®]) in patients with inclusion body myositis

Daisuke Mizui

Department of Neurology, National Hospital Organization Utano National Hospital, Japan

- Pj-025-3** Evaluation of speech-related facial movements in patients with basal ganglia or cerebellar disorders
Risa Kotani
Department of Neurology, The University of Tokyo, Japan
- Pj-025-4** Evaluation of HAL-Assisted Walking Training for HTLV-I-Associated Myelopathy
Yoshiki Kanda
Department of Neurology and Geriatrics, Kagoshima University Graduate School of Medical and Dental Sciences, Japan
- Pj-025-5** Therapeutic Impact of Inpatient Rehabilitation in a Cohort of 41 Fibromyalgia Patients
Maya Ando
Department of Neurology, Juntendo Tokyo Koto Geriatric Medical Center, Japan
- Pj-025-6** Preliminary Study of VR-Based Neurofeedback Training for Fall Prevention in Healthy Adults
Ryota Satake
Kawasaki Medical School Hospital, Japan
- Pj-025-7** Rehabilitation Effects of the HAL[®] Lower Limb Type in ATTRv Amyloidosis
Shota Kamijima
Department of Medicine (Neurology and Rheumatology), Shinshu University School of Medicine, Japan

Pj-026 Japanese Poster Session 026

Jp

May 20 (Wed) 17:20 ~ 18:40 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Other Neurological problems (Clinical study) 1

Chair : Tomohiko Nakamura
Hamamatsu University Hospital, Japan

- Pj-026-1** In functional neurologic disorder, the corticoreticular pathway correlates with cytokine levels
Yutaka Noguchi
Department of Neurology and Geriatrics, Kagoshima University Graduate School of Medical and Dental Sciences, Japan
- Pj-026-2** Central Sensitization Inferred from the Clinical Characteristics of 440 Patients with Fibromyalgia
Kenya Nishioka
Department of Neurology, Juntendo Tokyo Koto Geriatric Medical Center, Japan
- Pj-026-3** Clinical Features of Young Patients in a Neurology Department with Suspected Orthostatic Intolerance
Yoshiharu Nakae
Department of Neurology, Saiseikai Yokohamashi Nanbu Hospital, Japan

Pj-026-4 Recent Trends in Neuropsychiatric Drug Development: Insights from Our Institution

Harumasa Nakamura

National Center of Neurology and Psychiatry, Japan

Pj-026-5 Blood adenosine triphosphate concentration in patients with postural tachycardia syndrome

Takamasa Nukui

Department of Neurology, Faculty of Medicine, University of Toyama, Japan

Pj-026-6 A Semi-Automated Rare Disease Dataset to Inform Clinical Trials and Market Access Planning

Naohide Kondo

JPMD consulting corp., Japan

Pj-027 Japanese Poster Session 027

Jp

May 21 (Thu) 17 : 25 ~ 18 : 45 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Cerebrovascular disease (Risk factor/ Biomarker) 1

Chair : Yuji Ueno

Department of Neurology, University of Yamanashi Hospital, Japan

Pj-027-1 Long term antiplatelet/coagulant therapy in Af after CVD; RAFFINE/SAKURA registries sub analysis

Nobukazu Miyamoto

Department of Neurology, Juntendo University School of Medicine, Japan

Pj-027-2 Factors related to new onset of cancer in cryptogenic stroke survivors

Naohide Kurita

Department of Neurology, Juntendo University Urayasu Hospital, Japan / Department of Neurology, Ichinomiyani Hospital, Japan

Pj-027-3 Characteristics of Patients With Paroxysmal Atrial Fibrillation in Ischemic Stroke

Ryoji Miyano

Department of Neurology, Jichi Medical University, Saitama Medical Center, Japan

Pj-027-4 Secondary prevention and outcomes of cancer-associated ischemic stroke

Haruka Ono

St. Marianna University School of Medicine, Japan

Pj-027-5 Effects of DOAC on stroke severity and recurrence in cancer patients with non-valvular AF

Shinya Tomari

Department of Stroke and Cerebrovascular Medicine, Kyorin University, Japan

Pj-027-6 Recurrent Ischemic Stroke in Patients With Patent Foramen Ovale

Noriko Matsumoto

Department of Neurology, Nippon Medical School, Japan

- Pj-027-7** Rate Of Antiphospholipid antibody Positivity in Patients with Cerebral Infarction
Kazuki Sakaguchi
 University Hospital Kyoto Prefectural University Of Medicine, Japan

Pj-028 Japanese Poster Session 028

Jp

May 21 (Thu) 17 : 25 ~ 18 : 45 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Cerebrovascular disease (Clinical study) 2

Chair : **Shoji Matsumoto**
 Department of Comprehensive Strokeology, Fujita Health University Hospital,
 Japan

- Pj-028-1** Current Status of TEE at Our Hospital and Activities of the Brain-Heart Team
Tatsuya Saito
 Department of Neurology, University of Yamanashi, Japan

- Pj-028-2** Two cases of cerebral air embolism developed during pleural lavage
Kentaro Yoshida
 Tottori University Div. of Neurology, Japan

- Pj-028-3** Analysis of long-term care insurance services among stroke patients using the Fukui NHI database
Akiko Matsunaga
 Department of Community Health Science, Faculty of Medical Sciences, University of Fukui,
 Japan

- Pj-028-4** Association between dietary fiber intake and Intracranial arterial stenosis in stroke patients
Takashi Yamaguchi
 Iwate Prefectural Chubu Hospital, Japan / Division of Neurology and Gerontology, Department of Internal Medicine, School of Medicine, Iwate Medical University, Japan

- Pj-028-5** Six-symptom in-hospital stroke rapid-response system: diagnostic fidelity and faster activation
Masahiko Ichijo
 Department of neurology, Musashino Red Cross Hospital, Japan

- Pj-028-6** Stroke Onset While Driving: Clinical Characteristics and Factors Associated with Traffic Accidents
Yukie Kanai
 Department of Neurology, Shimane University Hospital, Japan

Dementia (Clinical study) 4

Chair : Mitsuteru Shimohata

Shinrakuen Hospital, Japan

Pj-029-1 withdrawn**Pj-029-2** Anti-Amyloid Therapies usage and problems in the northern Hokkaido area

Shigehisa Ura

Department of Neurology, Red Cross Asahikawa Hospital, Japan

Pj-029-3 Real-world experience with lecanemab therapy for Alzheimer's disease in our hospital

Tomokazu Obi

Shizuoka Institute of Epilepsy and Neurological Disorders, Japan

Pj-029-4 Clinical Experience With Lecanemab in Our Institution

Kunihiko Ishizawa

Department of Neurology, Geriatrics Research Institute and Hospital, Japan

Pj-029-5 Exploratory analysis of treatment dropout factors in patients receiving anti-Abeta antibody therapy

Yukiko Mori

Department of Neurology, Showa University School of Medicine, Japan

Pj-029-6 Pre-treatment patient care burden scale correlates with willingness to continue lecanemab treatment

Hiroki Yamaguchi

Department of Neurology Kanazawa University, Japan

Dementia (Examination/ Clinical evaluation)

Chair : Asako Ueno

Department of Neurology, Fukui Saiseikai Hospital, Japan

Pj-030-1 Use of Olfactory Testing, SUDOSCAN, and PainVision in Geriatric Health Screening

Shotaro Moriyasu

Tottori university, Neurology, Japan

Pj-030-2 Neurodegeneration- and Glia-Related Blood Biomarker Changes in Hereditary Leukoencephalopathies

Toshiya Kizaki

Department of Molecular Genetics, Brain Research Institute, Niigata University, Japan /
Department of Neurology, Brain Research Institute, Niigata University, Japan

Pj-030-3 Potential of 3D VR Navigation Task to Detect p-Tau181 Elevation in the Tau-PET-Negative Stage

Sayuri Shima

Department of Neurology, School of Medicine, Fujita Health University, Japan

Pj-030-4 The clinical significance of plasma GDF-15 Levels in mild cognitive impairment

Teruaki Masuda

Department of Neurology, Faculty of Medicine, Oita University, Japan

Pj-030-5 Neuropsychological Profiles of Alzheimer's Disease versus SNAP at CDR Stages 0.5 and 1

Hiroshi Yoshizawa

Department of Neurology, Tokyo Women's Medical University Yachiyo Medical Center, Japan /

Department of Neurology, Tokyo Women's Medical University, Japan

Pj-030-6 Predictive value of kanji abilities for cognitive decline in early Alzheimer's disease

Akira Kuzuya

Kyoto University, Graduate School of Medicine, Department of Neurology, Japan

Pj-030-7 Quantifying Cognitive Resilience to Alzheimer's Disease Pathology Using CSF Biomarkers

Yukiko Kusumoto

Department of Neurology, Kyoto University Graduate School of Medicine, Kyoto, Japan

Pj-031 Japanese Poster Session 031

Jp

May 21 (Thu) 17 : 25 ~ 18 : 45 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Dementia (Alzheimer's diseases) 2

Chair : Taizen Nakase

Dept. Aging Res. & Geriatric Med. IDAC, Tohoku University, Japan

Pj-031-1 Clinical Outcomes Following Lecanemab Discontinuation After the Clarity AD Trial

Ryuji Yajima

Department of Neurology, Midori Hospital, Japan

Pj-031-2 Changes in Memory Test Items in Patients Administered Lecanemab

Yu Yoshida

Jichi Saitama Medical Center, Japan

Pj-031-3 Clinical feature of Alzheimer's disease treated with anti amyloid beta monoclonal antibody

Emiko Horiuchi

Department of neurology, Japanese Red Cross Medical Center, Japan

Pj-031-4 Longitudinal White Matter Lesion Progression Predicts Non-maintained CDR-SB under Lecanemab Therapy

Takeshi Kuroda

Department of Neurology, Showa Medical University, Japan

Pj-031-5 Association between ChEI use and cognitive change in lecanemab-treated early Alzheimer's disease

Yuta Usui

Department of Neurology, Kanazawa University Hospital, Japan

Pj-031-6 Evaluating delta CDR-SB Treatment Effects in Real-World Lecanemab: Six-Month Outcomes

Kako Fujimoto

Japanese Red Cross Musashino Hospital, Japan

Pj-031-7 Experience with lecanemab and donanemab infusion therapy at our hospital

Yu Sato

Nagasaki Kita Hospital, Japan

Pj-032 Japanese Poster Session 032

Jp

May 21 (Thu) 17 : 25 ~ 18 : 45 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Dementia (Clinical study) 5

Chair : Noriyuki Kimura

Department of Neurology, Oita University, Faculty of Medicine, Japan

Pj-032-1 An autopsy case of centenarian with no amyloid beta deposits but with argyrophilic grains and ARTAG

Tamaki Iwase

Dept. of Neurol., Major in Rehab. Sch. of Health Sci., Nagoya City Univ., Japan / Dept. of Neurol., Nagoya City Univ. Mirai Kousei Hosp., Japan / Nagoya City Univ. Rehabilitation Hosp., Japan

Pj-032-2 Initiatives to Enhance Efficient Information Access and Standardize Treatment Among Neurologists

Junichiro Ohira

Department of neurology, Kyoto University, Japan / Medixpost, Inc, Japan

Pj-032-3 FIG4-Related Frontotemporal Dementia: Comparison With Autopsy-Confirmed FTD Cases

Kotona Tateno

NHO Sagamihara National Hospital, Japan / Kitasato University Kitasato Institute Hospital, Japan

Pj-032-4 ARTAG and pattern of hippocampal lesions in SD-NFT

Kazumasa Sekiguchi

National Center of Neurology and Psychiatry Hospital, Department of Clinical Laboratory, division of Neuropathology, Japan / Jichi Medical University Graduate School, Japan

Pj-032-5 Trial ready cohort for hereditary dementia

Katsuya Nakamura

Department of Medicine (Neurology & Rheumatology), Shinshu University School of Medicine, Japan

Parkinson's disease (Pharmacotherapy) 2

Chair : Takashi Tokashiki

National Hospital Organization Okinawa Hospital, Japan

Pj-033-1 Long-term safety and efficacy of safinamide in PD: Dose-based analysis of a phase III study

Yoshio Tsuboi

Juntendo Graduate School of Medicine, University, PD Long-term Observational Joint Research Course, Japan / Tsutsumi Clinic Fukuoka Parkinson's Disease Center, Japan

Pj-033-2 Analysis of influences on levodopa pharmacokinetics in Parkinson's disease and related disorders

Yuka Hama

Department of Genomic Medicine, National Center Hospital, National Center of Neurology and Psychiatry (NCNP), Japan

Pj-033-3 Opicapone Efficacy, Safety, and Patient Characteristics in Parkinson's Disease : Institutional Study

Daisuke Nakatsu

Department of Neurology, Osaka Toneyama Medical Center, Japan / Department of Parkinson's Disease Center, Osaka Toneyama Medical Center, Japan

Pj-033-4 Current status of patients participating in the domestic clinical trial of Istradefylline

Tatsuya Hattori

Hommachi Clinic, Hattori Neurology Clinic, Japan

Pj-033-5 Final Report on the Long-Term Survey of Levodopa/Carbidopa Monohydrate for Enteral Administration

Tomoko Oeda

Clinical Research Center and Department of Neurology, Japan

Pj-033-6 A study of the changes in medical treatment and influencing factors in Parkinson's disease patients

Arika Hasegawa

National Hospital Organization Nishiniigata Chuo Hospital, Japan

Pj-033-7 Factors associated with levodopa responsiveness in drug-naïve patients with Parkinson's disease

Juri Nomoto

The Jikei University Katsushika Medical Center, Department of Neurology, Japan

Parkinson's disease (Non-motor symptoms/ Autonomic dysfunction) 2

Chair : Masato Asahina

Kanazawa Medical University, Japan

Pj-034-1 Norepinephrine response during head-up tilt in PD by severity of orthostatic hypotension

Hiroko Kurono

Saiseikai Kanagawaken Hospital, Japan

Pj-034-2 Cerebral Hypoperfusion and Neuronal Injury in PD with Orthostatic Hypotension

Akiyuki Takenouchi

Department of Neurology Hamamatsu University Hospital, Japan

Pj-034-3 ~~Changes in Norepinephrine and Vasopressin Levels During the Head-Up Tilt Test in Parkinson's Disease~~

~~Takahide Wada~~~~Department of Neurology, School of Medicine, Chiba Medical University, Japan~~

Withdrawn

Pj-034-4 The effects of large blood pressure fluctuations on cognitive decline in Parkinson's disease

Shohei Nomoto

Department of Neurology, and Clinical Research Center National Hospital Organization Utano Hospital, Japan

Pj-034-5 Alpha-Glucosidase Inhibitors for Postprandial Hypotension in Parkinson's Disease: A Four-Case Series

Tenyu Hino

Oasis Daiichi Hospital, Japan

Pj-034-6 Constipation in early Parkinson's disease affects quality of life

Taiki Fukushima

Department of Neurology, Nagoya University Hospital, Japan

Pj-034-7 Comparison of stool forms and clinical symptoms in Parkinson's disease

Hirotaka Sakuramoto

Department of Neurology Dokkyo Medical University, Japan

Parkinson's syndrome 2

Chair : Takahisa Tateishi

Kurume University, Japan

Pj-035-1 Non-motor symptoms in Parkinson's disease and related disorders

Takashi Kageyama

Department of Neurology, Tokai Memorial Hospital, Japan

Pj-035-2 Pulse rate variability by watch-type wearable sensor is useful for assessing autonomic function

Kenji Otsuka

Department of neurology, Nagoya university graduate school of medicine, Japan

Pj-035-3 Examination of the clinical diagnosis trajectory in neurodegenerative disease

Tasuku Ishihara

Department of Neurology, National Center Hospital, National Center of Neurology and Psychiatry, Japan

Pj-035-4 Genetic analysis of Bassoon rare variant in Parkinson's syndrome

Taichi Nomura

Department of Neurology, Faculty of Medicine and Graduate School of Medicine, Hokkaido University, Japan

Pj-035-5 4 cases of shuffling gait with urinary incontinence or cognitive impairment

Haruki Yotsumoto

Tokyo Kyosai Hospital, Japan

Pj-035-6 Significance of the Rossolimo Reflex: Diagnostic Accuracy in Parkinson Related Disorders

Hirokazu Furuya

Department of Neurology, Koga Hospital 21, Japan / Department of Neurology, Nankoku Hospital, Japan

Pj-036 Japanese Poster Session 036

Jp

May 21 (Thu) 17 : 25 ~ 18 : 45 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Motor neuron disease (ALS : Clinical practice) 2

Chair : Naoki Atsuta

Department of Neurology, Aichi Medical University School of Medicine, Japan

Pj-036-1 Risk Factors in Long-Term Mechanical Ventilation for Patients with Amyotrophic Lateral Sclerosis

Hideki Kimura

Department of Neurology, Tokyo Metropolitan Neurological Hospital, Japan / Respiratory Support Team, Tokyo Metropolitan Neurological Hospital, Japan

Pj-036-2 The efficacy and safety of CT-guided gastrostomy in patients with amyotrophic lateral sclerosis

Yuichi Ito

Tokai University School of Medicine, Department of Neurology, Japan

Pj-036-3 Study of Pneumothorax, pleurisy, and empyema in ALS patients undergoing long-term treatment

Akifumi Yamamoto

NHO Omuta Hospital Department of Neurology, Japan

Pj-036-4 Trace element analysis in amyotrophic lateral sclerosis patients on mechanical ventilation

Akiko Ishii
NHO Iwaki Hospital, Japan

Pj-036-5 Ventilator Selection for Amyotrophic Lateral Sclerosis Patients at Our Hospital

Kenichi Sakai
Department of Neurology, National Hospital Organization Minami-Okayama Medical Center, Japan

Pj-036-6 Cause of death in autopsy cases of amyotrophic lateral sclerosis with mechanical ventilation

Yuko Motozaki
Department of Neurology, NHO Iou National Hospital, Japan

Pj-036-7 Reduced nuclear TDP-43 and cytoplasmic DLK1 of motor neurons in amyotrophic lateral sclerosis

Takahiro Takeda
NHO Chiba Medical Center Chibahigashi National Hospital, Japan

Pj-037 Japanese Poster Session 037

Jp

May 21 (Thu) 17 : 25 ~ 18 : 45 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Cerebellar ataxia • Spastic paraplegia (MSA)

Chair : Tatsuya Yamamoto
Chiba Prefectural University of Health Sciences, Japan

Pj-037-1 Retrospective Study of Mechanical Ventilation in MSA Patients: Characteristics and Challenges

Rikiya Furutani
Department of Neurology, NHO Shinshu Ueda Medical Center, Japan

Pj-037-2 Pathological diagnoses of three patients with clinically diagnosed multiple system atrophy

Yoshihiko Horimoto
Fukushima Hospital, Japan

Pj-037-3 Preliminary Study for the Early Diagnosis of Single-System Prodromal Multiple System Atrophy

Yuka Takano
Department of Neurology, Saitama Medical University, Saitama, Japan

Pj-037-4 The Effect of Trial Numbers on Prism Adaptation in Multiple System Atrophy

Kenta Taneda
Tottori University, Japan

Pj-037-5 Variability of brain MRI findings in multiple system atrophy

Mayu Miyachi
Department of Neurology, Faculty of Medicine, Juntendo University, Japan

Neuroimmunology (MS: Treatment, others) 1

Chair : Chiyoko Nohara

Tokyo Metropolitan Ebara Hospital, Japan

Pj-038-1 Effectiveness of Ofatumumab After Natalizumab Discontinuation in Multiple Sclerosis Treatment

Kazumasa Okada

Department of Neurology, University of Occupational and Environmental Health, Japan

Pj-038-2 Final analysis results of special drug-use surveillance of ofatumumab for multiple sclerosis

Ichiro Nakashima

Division of Neurology, Tohoku Medical and Pharmaceutical University, Japan

Pj-038-3 Early transitional management with disease-modifying therapy in two pediatric MS cases

Nozomu Akiba

Department of Internal Medicine, Division of Respiratory Medicine, Neurology and Rheumatology, Kurume University School of Medicine, Japan

Pj-038-4 Switching from siponimod to ofatumumab in two cases of secondary progressive multiple sclerosis

Asako Tagawa

Hiratsuka City Hospital, Japan

Pj-038-5 Trends in Multiple Sclerosis Treatment Selection and Switching from 2020 to 2025

Atsuko Katsumoto

Department of Neurology, National Center Hospital, National Center of Neurology and Psychiatry, Japan / Center of Multiple Sclerosis, National Center Hospital, National Center of Neurology and Psychiatry, Japan

Pj-038-6 The Second-Year Report of the Japan Neuromyelitis Optica Spectrum Disorder Registry

Nobuaki Yoshikura

Gifu University Hospital, Japan

Neuroimmunology (Autoimmune encephalitis) 1

Chair : Yosuke Miyaji

Department of Neurology, Teikyo University Hospital Mizonokuchi, Japan

Pj-039-1 Early progression of brain atrophy in patients with anti-N-methyl-D-aspartate receptor encephalitis

Yuta Nakahashi

Department of Neurology, Nara Medical University, Japan

Pj-039-2 Two Cases of Anti-NMDA Receptor Encephalitis with Atypical Tumors

Ryotaro Yui
Ina Central Hospital, Japan

Pj-039-3 CSF Profiles and Super Refractory Status Epilepticus in Anti-NMDAR Encephalitis

Shuhei Yasuda
Institute of Science Tokyo Hospital, Department of Neurology and Neurological Science, Japan

Pj-039-4 Analysis of Two Cases of Anti-gamma aminobutyric acid(GABA) A Receptor Antibody-Positive Encephalitis

Hideki Mori
Department of Neurology, Niigata Prefectural Shibata Hospital, Japan

Pj-039-5 Clinical Characteristics of Anti-LGII Antibody-Positive Encephalitis

Yutaro Kubo
Yokohama Rosai Hospital Department of neurology, Japan

Pj-039-6 Two cases of autoimmune Encephalitis with multiple positive autoantibodies

Ryusei Nonomiya
Department of Gastroenterology & Neurology, Faculty of Medicine, Kagawa University, Japan

Pj-040 Japanese Poster Session 040

Jp

May 21 (Thu) 17 : 25 ~ 18 : 45 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Neuroimmunology (Other immune-mediated neuropathies) 1

Chair : Chizuko Oishi
Department of Neurology, Kyorin University School of Medicine, Japan

Pj-040-1 SC Efgartigimod PH20 Impact on Treatment-Naïve Participants With CIDP in ADHERE: Post Hoc Analyses

Kenichi Kaida
Saitama Medical Center, Saitama Medical University, Japan

Pj-040-2 Effect of primary treatment and onset severity on final steroid dose in patients with CIDP

Ryoko Muramatsu
Department of Neurology and Neurological Science, Institute of Science Tokyo Graduate School of Medical and Dental Sciences, Japan

Pj-040-3 ELISA-based quantification of serum/CSF chitinase-3-like protein 1 in patients with CIDP

Rena Okudera
Division of Neurology, Anti-aging, and Vascular Medicine, National Defense Medical College, Japan

Pj-040-4 Outcomes after switching from standard therapy to efgartigimod in five patients with CIDP

Tatsuya Imai
Saiseikai Futsukaichi hospital, Japan

Pj-040-5 Current status and optimization of IVIg maintenance therapy in typical CIDP

Masaomi Yamamoto

Department of Neurology, Saitama Medical Center, Saitama Medical University, Japan

Pj-040-6 Subcutaneous Efgartigimod Alfa in CIDP: A Retrospective Analysis of Five Cases

Hiroyuki Onoue

Saiseikai Kazo Hospital Neurology, Japan

Pj-040-7 Long-term clinical course of Multifocal Chronic Inflammatory Demyelinating Polyneuropathy

Yukari Sekiguchi

JR Tokyo General Hospital, Japan / Department of Neurology, Graduate School of Medicine, Chiba University, Japan

Pj-041 Japanese Poster Session 041

Jp

May 21 (Thu) 17 : 25 ~ 18 : 45 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Neuroimmunology (Clinical study) 3

Chair : Masaaki Nino

NHO Hokkaido Medical Center, Japan

Pj-041-1 Clinical characteristics of six cases of anti-MOG antibody-associated disease in our hospital

Kana Shirakawa

Department of Neurology, Japanese Red Cross Medical Center, Japan

Pj-041-2 Brain Volume Analysis in Japanese MOGAD Patients: a comparison with healthy controls

Koki Yoshizawa

Chiba University Hospital, Department of Neurology, Japan

Pj-041-3 Four Cases of Anti-LacCer Antibody-Positive Encephalomyeloradiculoneuropathy (EMRN)

Tomohiro Hayashi

Department of Neurology, Faculty of Medicine, University of Toyama, Japan

Pj-041-4 The analysis of various neurological complications in 3 cases of Sjogren syndrome

Koushun Matsuo

Division of Neurology, Ohmihachiman Community Medical Center, Japan

Pj-041-5 Clinical Significance of Neuronal Antibodies in Diagnosing Paraneoplastic Neurological Syndromes

Yoshiyuki Matsuki

Tokyo Metropolitan Neurological Hospital Department of Neurology, Japan

Neuropathy (Hereditary neuropathy) 2

Chair : Haruki Koike

Department of Neurology, Saga University, Japan

Pj-042-1 Peripheral nerve involvement as a potential manifestation of spinocerebellar ataxia type 8 (SCA8)

Risa Nagatomo

Department of Neurology and Geriatrics, Kagoshima University Graduate School of Medical and Dental Sciences, Kagoshima, Japan

Pj-042-2 Three cases of Charcot-Marie-Tooth disease type 1A with atypical findings

Susumu Ikenoshita

Department of Neurology, Kumamoto University Hospital, Japan

Pj-042-3 Which tests are appropriate to evaluate the course of HMSN-P?

Natsumi Fujisaki

NHO Okinawa Hospital, Neurology, Japan

Pj-042-4 Clinical and Electrophysiological Features of Patients With Biallelic GNE Variants

Fumikazu Kojima

Department of Neurology and Geriatrics, Kagoshima University Graduate School of Medical and Dental Sciences, Japan

Pj-042-5 Clinical features of LRSAM1-related Charcot-Marie-Tooth disease (CMT2P) in ten Japanese families

Takahiro Hobara

Department of Neurology and Geriatrics, Kagoshima University Graduate School of Medical and Dental Sciences, Japan

Pj-042-6 Clinical and Genetic Study of a Family with CGG Repeat Expansion in the LRPI2 Gene

Yumi Nakada

Okayama University, Japan

Pj-042-7 Short and long-term outcomes of Cybernics therapy with the Medical HAL for Lower Limb Type in CMT

Yuko Ariizumi

Department of Neurology, NHO Niigata National Hospital, Japan

Neuromuscular junction disease (Clinical study) 2

Chair : Shingo Konno

Toho University Ohashi Medical center, Japan

Pj-043-1 Clinical Profiles of Myasthenia Gravis

Hiroto Suetoh

Division of Neurology, Kobe University Graduate School of Medicine, Hyogo, Japan / Department of Neurology, Hyogo Prefectural Amagasaki General Medical Center, Japan

Pj-043-2 Clinical Characteristics of Six Cases of Thymoma-Associated Myasthenia Gravis at Our Institution

Yui Kamijo

Shinshu Ueda Medical Center, Japan

Pj-043-3 Clinical Characteristics of Myasthenia Gravis Patients Who Do Not Achieve MM5

Shimpei Watanabe

Department of Neurology, Showa Medical University, Japan

Pj-043-4 The Infection Frequency and Risk Associated with Fast-Acting Treatment for Myasthenia Gravis

Serika Yamamoto

Nippon Medical School Chiba Hokusoh Hospital, Japan

Pj-043-5 Changes in Clinical Characteristics and Treatment Trends of Myasthenia Gravis Over the Past Decade

Jun Tsugawa

Fukuoka University Hospital Neurology, Japan

Pj-043-6 Complementary Role of MG Symptoms PRO in Myasthenia Gravis Assessment

Teppei Komatsu

Department of Neurology, The Jikei University School of Medicine, Japan

Pj-043-7 Age- and ADL-stratified analysis of high fracture risk in patients with myasthenia gravis

Takafumi Uchi

Toho University Ohashi Hospital division of neurology, Japan

**Neuromuscular junction disease
(MG: Treatment (molecular targeted therapies and novel agents)) 2**

Chair : Shunsuke Yoshimura

Department of Neurology and Strokology, Nagasaki University Hospital, Japan

Pj-044-1 Three cases of Generalized myasthenia gravis(gMG) that we need emergency rescue with Zilucoplan

Hiroki Miyauchi

Department of Neurology, Tsukuba Memorial Hospital, Japan

Pj-044-2 Clinical efficacy and usefulness of zilucoplan in refractory myasthenia gravis

Tomohito Ohashi

Nara Medical University, Department of Neurology, Japan

Pj-044-3 2 cases of refractory MG successfully treated with a combination of molecular targeted drugs

Ken-ichi Irie

Kurume University School of Medicine, Department of Respiratory, Neurology, Rheumatology, Japan

Pj-044-4 Five Cases of Triple M Syndrome Treated With an FcRn Inhibitor
Masayuki Ikegawa

Department of Neurology, University of Occupational and Environmental Health, Japan

Pj-044-5 Use of Molecular Targeted Therapies for Myasthenia Gravis at Our Institution

Daiji Torimura

Department of Neurology and Strokology, Nagasaki University Hospital, Japan

Muscle disease (IBM)

Chair : Satoshi Yamashita

International University of Health and Welfare Narita Hospital, Japan

Pj-045-1 Long-term Outcomes of the Medical HAL for Lower Limb Type in sIBM

Kazuya Igarashi

Department of Neurology, NHO Niigata National Hospital, Japan

Pj-045-2 Analysis of the Notch Signaling Pathway in Patients with Inclusion Body Myositis

Ayuka Murakami

Department of Neurology, Nagoya University Hospital, Japan / Department of Neurology, National Hospital Organization Suzuka National Hospital, Japan

Pj-045-3 Distal lower limb fractures are common in inclusion body myositis and myotonic dystrophy patients

Nozomu Tawara

Department of Neurology, National Hospital Organization, Kumamoto Saishun Medical Center, Japan

Pj-045-4 Association between a new muscle ultrasound scale and lower-limb function in inclusion body myositis

Hiroki Yamazaki

Department of Neurology, Tokushima University Hospital, Japan / Clinical Research Center for Intractable and Rare Diseases, Tokushima University Hospital, Japan

Pj-045-5 Calf muscle atrophy of inclusion body myositis

Yasushi Oya

Dept of Neurology, National Center of Neurology & Psychiatry (NCNP), Japan

Pj-045-6 A Retrospective Study on the Short-Term Efficacy of IVIg in Inclusion Body Myositis

Megumi Kubota

National Center of Neurology and Psychiatry, Japan

Pj-045-7 Pathological Findings of Clinically Normal Biceps Biopsies in Patients with Inclusion Body Myositis

Yosuke Osakada

Department of Neurology, Okayama University, Japan

Pj-046 Japanese Poster Session 046

Jp

May 21 (Thu) 17:25 ~ 18:45 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Neuroinfection (Clinical study) 1

Chair : Satoshi Nozuma

Department of Neurology and Geriatrics, Kagoshima University Graduate School of Medical and Dental Sciences, Japan

Pj-046-1 Delayed cerebral vasculopathy in bacterial meningitis: retrospective analysis of 23 cases

Masahiro Biyajima

Department of Neurology, Japanese Red Cross Nagano Hospital, Japan

Pj-046-2 Characteristics of Bacterial Meningitis Complicated by Seizure

Yoshihiro Tanaka

Department of Neurology and Stroke Treatment, Kyoto Daiichi Red Cross Hospital, Japan

Pj-046-3 Two cases of meningitis with multiple subarachnoid hyperintensities on diffusion-weighted imaging

Fumiaki Hemmi

Toranomon Hospital, Department of Neurology, Japan

Pj-046-4 A Study of 44 Cases Hospitalized with a Diagnosis of Aseptic Meningitis

Mayu Eguchi

Department of Neurology, Faculty of Medical Sciences, University of Fukui, Japan

Pj-046-5 Clinical characteristics of tetanus in our hospital

Katsuya Sakai

University of Miyazaki Hospital, Japan

Pj-046-6 Direct Identification of Pathogens from Brain Abscess by MALDI-TOFMS

Yuya Kobayashi

Department of Neurology, Ina Central Hospital, Japan

Pj-046-7 Masquerading non-specific clinical features in three cases of early neurosyphilis

Yudai Kono

Department of Neurology, Teikyo University Chiba Medical Center, Japan

Pj-047 Japanese Poster Session 047

Jp

May 21 (Thu) 17 : 25 ~ 18 : 45 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Epilepsy (Clinical study) 1

Chair : Morito Inouchi

NHO Kyoto Medical Center, Japan

Pj-047-1 Differentiation of epileptic seizures using deep learning on single- and dual-channel EEG DSA

Kazutoshi Konomatsu

Departments of Epileptology, Tohoku University Graduate School of Medicine, Japan

Pj-047-2 Prognostic value of EEG findings in nonconvulsive status epilepticus

Teppei Fujioka

Nagoya City University Graduate School of Medical Sciences, Japan

Pj-047-3 Lateralizing Epileptic Foci by Hemispheric Asymmetries in Brain Volume and Myelin on Synthetic MRI

Riho Okada

Department of Clinical Neuroscience and Therapeutics, Hiroshima University, Graduate School of Biomedical and Health Sciences, Japan

Pj-047-4 Evaluation of the risk factor about rhabdomyolysis in patients with epilepsy

Shunya Ohno

Tokai University School of Medicine, Department of Neurology, Japan

Pj-047-5 Two dialysis patients with acute altered consciousness successfully treated with immunotherapy

Takuma Kato

Japanese Red Cross Kyoto Daiichi Hospital, Japan

Headache (Clinical study)

Chair : Yasuo Ito

Department of Neurology, Saitama Medical University, Japan

- Pj-048-1** Questionnaire survey of headache in our hospital staff and characteristics of non-visitor outpatient

Akihito Kutsuna

NTT Medical Center Tokyo, Japan / Japan Community Health care Organization Tokyo
Takanawa Hospital, Japan / Nippon Medical School Hospital, Japan

- Pj-048-2** Relationship between Migraine Patients' "Dislikes" and "Triggers" Reported During Follow-up

Misaki Nakamura

Kyoto Prefectural University of Medicine, Japan

- Pj-048-3** Common pathology between chronic migraine and fibromyalgia

Yuta Ishiguro

Department of Neurology, Juntendo Tokyo Koto Geriatric Medical Center, Japan

- Pj-048-4** Epidemiological Survey of Headache and Exploration of Related Biomarkers in the General Population

Yu Aoki

Research Department, Daiichi Sankyo Healthcare Co., Ltd., Japan

- Pj-048-5** Examination of Depression and Anxiety Scales and Headache Severity in Patients with Migraine

Shota Kosuge

Department of Neurology, Showa Medical University School of Medicine, Japan

Neurogenetic 2

Chair : Kazumasa Saigoh

Kindai University Hospital, Japan

- Pj-049-1** A case of juvenile-onset alpha-mannosidosis diagnosed in adulthood via IRUD research

Shintaro Sugiyama

Department of Neurology, Sakai City Medical Center, Japan

- Pj-049-2** Preimplantation Genetic Testing for Monogenic (PGT-M) for Hereditary Neuromuscular Disorders

Masamichi Ikawa

Department of Medical Genetics, University of Fukui Hospital, Japan / Department of Neurology,
University of Fukui Hospital, Japan

- Pj-049-3** Clinical Features of a Family with Dementia and Gait Disturbance Caused by a TUBB4A Gene Variant
Ken Ikegami
Department of Neurology, Okayama University Graduate School of Medicine, Dentistry and Pharmaceutical Sciences, Japan
- Pj-049-4** Evaluation of ABCD1 Variants in Relation to Clinical Phenotypes in X-Linked Adrenoleukodystrophy
Yumiko Nakamura
Department of Neurology, Graduate School of Medicine, the University of Tokyo, Japan
- Pj-049-5** A Cross-Sectional Analysis of OPDM-Related Gene Repeat Expansions in Distal Myopathy/IPN and ALS
Tomohito Kawano
Department of Neurology, Okayama University, Japan
- Pj-049-6** Cytogenetic Analysis of Male and Female Rett Syndrome Cases with Skewed Mosaic Chromosomal Patterns
Kenji Orimoto
Fureai Higashi-Totsuka Hospital, General Medicine, Japan

Pj-050 Japanese Poster Session 050

Jp

May 21 (Thu) 17 : 25 ~ 18 : 45 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Neuropathology

Chair : Mineo Yamazaki

Dept. Neurology, Nippon Medical School Chiba Hokusoh Hospital, Japan

- Pj-050-1** Neutrophil extracellular traps in retrieved thrombi and their association with thrombectomy outcomes
Tetsuya Hashimoto
Department of Comprehensive Strokeology, Fujita Health University School of Medicine, Japan
- Pj-050-2** Aging related hippocampal sclerosis in Japanese autopsy cases
Nao Tahara
Aichi medical university institute for medical science of Aging, Japan
- Pj-050-3** Substantia nigra and locus coeruleus pathology in pure autonomic failure as Lewy body disease
Manato Hara
Department of Neuropathology, Tokyo Metropolitan Institute for Geriatrics and Gerontology, Japan
- Pj-050-4** A retrospective study on the association between peripheral nerve biopsies and clinical diagnosis
Akira Mugikura
Department of Neurology, University of Yamanashi, Japan
- Pj-050-5** A case of globular glial tauopathy Type II presenting left-dominant bradykinesia and rigidity
Kenichiro Maeda
Dept. of Neurol., Osaka Univ. Grad. Sch. of Med., Japan

Pj-050-6 Structural Analysis of Tau Aggregates in MAPT Mutation cases based on Legumain Cleavage Properties

Soho Oyama

Department of Neurology, Juntendo University, Faculty of Medicine, Japan

Pj-050-7 A clinicopathological study of frontotemporal dementia (FTD) at our hospital

Yumi Hosoi

Department of Neurology, National Hospital Organization Sagami-hara National Hospital, Japan /

Department of Neurology, Kitasato University Hospital, Japan

Pj-051 Japanese Poster Session 051

Jp

May 21 (Thu) 17 : 25 ~ 18 : 45 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Neuroradiology, Functional image 2

Chair : Junji Komatsu

Kanazawa University Hospital, Department of Neurology, Japan

Pj-051-1 Potential Changes in Hippocampal Volume Associated with Basilar Artery Hypoplasia

Naoki Omori

Department of Neurology, Shimane University, Japan

Pj-051-2 Utility of an elderly brain template for ischemic stroke MRI analysis

Kazumichi Ota

Department of Neurology, Saitama Medical University, Japan

Pj-051-3 The significance of glymphatic system alterations in Parkinson's disease with GBA1 mutations

Haruna Haginiwa

Department of Neurology, Juntendo University, Japan

Pj-051-4 Clinical Features and Brain MRI Findings in Five Suspected NIID Patients: A Case Series

Kota Yamasaki

Department of Neurology, Hiroshima Prefectural Hospital, Japan

Pj-051-5 Three cases of dot-like hippocampal hyperintensities on diffusion-weighted MRI without amnesia

Keisuke Watanabe

Suwa Central Hospital, Department of Neurology, Japan

Neurorehabilitation, Medical engineering, Medical treatment for incurable diseases 2

Chair : Hiroyuki Nodera
Tenri Hospital, Japan

Pj-052-1 Improved extraction of risk by AI in the information sharing system for ALS patients with home care

Akiyo Hineno
Shinshu Medical Care Collaboration Center, Shinshu University Hospital, Japan / Department of Medicine (Neurology and Rheumatology), Shinshu University School of Medicine, Japan

Pj-052-2 Clinical Registry at the Intractable Neurological Diseases Center (Fourth Report)

Keiichi Nakahara
Department of Neurology, Kumamoto University, Japan

Pj-052-3 Characteristics of the participants in online version of physical exercise with music accompaniment

Masayuki Satoh
National Center for Geriatrics and Gerontology, Center for Comprehensive Care and Research on Memory Disorders, Japan / Advanced Institute of Industrial Technology, Tokyo Metropolitan Public University Corporation, Japan

Pj-052-4 Operation of Remote Neurological Consultation with a PTZ Camera and Videoconferencing System

Teiichiro Miyazaki
Department of Neurology and Stroke, Nagasaki University Hospital, Japan

Pj-052-5 The Role of Neurologists in Community-based Care Ward

Hitaru Kishida
Yokohama Brain and Spine Center, Japan

Pj-052-6 A case of profound intellectual disability demonstrating exceptional musical ability

Koomi Nin
Tokyo Kita Medical Center, Japan

Pj-052-7 Utility of Personalized Tele-Rehabilitation Interventions for Patients with Parkinson's Disease

Akiko Saito
Department of Neurology, Kawasaki Medical School, Japan

Other Neurological problems (Clinical study) 2

Chair : Yasushi Kobayashi
Okazaki City Hospital, Japan

Pj-053-1 Clinical features of patients with idiopathic basal ganglia calcification at our hospital

Soki Hirota
TOYOTA MEMORIAL HOSPITAL Neurology, Japan

Pj-053-2 Assessment of QOL and ACP in patients and parents with neurological xeroderma pigmentosum

Takehiro Ueda
Division of Neurology, Kobe University Graduate School of Medicine, Japan / Division of Neurology, Amagasaki General Medical Center, Japan

Pj-053-3 Social Challenges for Patients with Huntington's Disease and Their Families: A Clinical Perspective

Shun Kubokawa
NHO Sagamihara, Japan

Pj-053-4 Clinical study of three cases of lower limb muscle atrophy associated with Leriche syndrome

Tomoyo Hashimoto
Neurology, Hospital of the University of Occupational and Environmental Health, Japan

Cerebrovascular disease (Intravascular treatment) 2

Chair : Yuko Tanaka
Department of Stroke medicine and endovascular therapy, University of Occupational and Environmental Health, Japan

Pj-054-1 Evaluation of the Efficacy of Emergency Carotid Stenting in Patients with Stroke

Rei Kashimoto
Nippon Medical School Hospital, Japan

Pj-054-2 Three cases of acute ischemic stroke with symptomatic carotid web treated by revascularization

Keisuke Kawamoto
Department of Neurology, Kumamoto University Hospital, Japan / Department of Neurology, Kumamoto Red Cross Hospital, Japan

Pj-054-3 Safe Guiding Catheter Navigation in CAS for Low-position CCA Lesions: The 'No-touch' Technique

Yohei Takenobu
Department of Neurology, Osaka Red Cross Hospital, Japan

Pj-054-4 Association Between Distal Opacification and FPE/mFPE in Mechanical Thrombectomy

Naoki Honda
Kumamoto Red Cross Hospital, Japan

Pj-054-5 Practical Implementation of Stroke S Selection in the Minami-Tama Region

Tomonari Saito
Department of Neurology, Tama Nagayama Hospital, Nippon Medical School, Japan

Pj-055 Japanese Poster Session 055

Jp

May 22 (Fri) 16 : 45 ~ 18 : 05 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Cerebrovascular disease (Acute-phase treatment)

Chair : Manabu Sakaguchi
Department of Neurology, Osaka General Medical Center, Japan

Pj-055-1 A study of 10 cases of spinal cord infarction at our hospital

Naoki Hayashi
Kariya Toyota General Hospital, Japan

Pj-055-2 Localization of Intracerebral Hemorrhage After t-PA Monotherapy and Cerebral Microbleeds

Chinami Yuzawa
Department of Neurology, Ina Central hospital, Japan

Pj-055-3 Characteristics of Patients Requiring Repeated Acute Reperfusion Therapies

Ryoo Yamamoto
Department of Neurology, Yokohama Brain and Spine Center, Japan

Pj-055-4 Current Status of acute reperfusion therapy for Cancer-Associated Stroke with Large Vessel Occlusion

Takato Hiramine
Department of Neurology, Kagoshima city hospital, Japan

Pj-055-5 Team-Based Strategies to Improve Stroke Outcomes: Rapid MT initiation and Early Rehabilitation

Hidekazu Yamazaki
Department of Neurology and Neuroendovascular Treatment, Yokohama Shintoshu Neurosurgical Hospital, Japan

Cerebrovascular disease (Risk factor/ Biomarker) 2

Chair : Yoshiki Yagita

Department of Stroke Medicine, Kawasaki Medical School, Japan

Pj-056-1 GeSt Score: A Novel Score Visualizing Hereditary Stroke from Clinical Information

Takuma Mori

Kagoshima University Hospital, Department of Neurology, Japan

Pj-056-2 Predictors for Regaining Oral Intake After Cerebral Stroke: An Investigational Study

Kei Odani

National Hospital Organization Nagoya Medical Center, Department of Neurology, Japan

Pj-056-3 Among 171,817 patients, in-hospital stroke independently increased in-hospital mortality

Ryutaro Kimura

Department of Neurology, Graduate School of Medical Sciences, Kumamoto University, Japan

Pj-056-4 Clinical Factors in Early Neurological Deterioration in BAD With Aggressive Antithrombotic Therapy

Nobuhiro Ogawa

Department of Neurology, Shiga University of Medical Science, Japan

Pj-056-5 Clinical Characteristics of Cerebellar Infarction with Prolonged Nausea, Vomiting, and Vertigo

Harumi Fujino

Department of Neurology, South Miyagi Medical Center, Japan

Pj-056-6 Cerebral Atrophy and Hematoma Expansion in Non-traumatic Intracerebral Hemorrhage Under 75 Years

Kenta Tsuchida

Department of Neurology, Kobe City Medical Center General Hospital, Japan

Pj-056-7 Correlation of Functional Improvement in Acute Phase and Recovery Phase of Cerebral Hemorrhage

Kazuya Futagami

Department of Neurology, NHO Nagoya Medical Center, Japan

Dementia (Clinical study) 6

Chair : Ihara Ryoko

Tokyo Metropolitan Institute for Geriatrics and Gerontology, Japan

Pj-057-1 A Single-Center Experience of Amyloid Biomarker Testing and Anti-Amyloid Antibody Therapy

Yoshikazu Nakano

Department of Neurology, Chiba University Graduate School of Medicine, Japan

Pj-057-2 Characteristics of amyloid-negative patients in cases of anti-amyloid beta antibody treatment

Naotaka Miyazawa

Osaka Metropolitan University, Japan

Pj-057-3 Assessment of orientation to time could screen the target for lecanemab

Michihito Masuda

Okazaki City Hospital Department of Neurology, Japan

Pj-057-4 Negative association between serum cortisol and CSF tau in non-AD
Sakiho Ueda

Neurology Department, Kyoto University Hospital, Japan

Pj-057-5 Utility of the Corpus Callosum Index in Neurodegenerative Diseases

Hiroyuki Sumikura

Osaka General Medical Center, Japan

Dementia (Alzheimer's diseases) 3

Chair : Soichiro Shimizu

Tokyo Medical University Department of Geriatric Medicine, Japan

Pj-058-1 High Performance of Plasma p-tau217 for Detecting Brain Amyloid: A Multicenter Study in Japan

Takanobu Ishiguro

Brain Research Institute, Niigata University, Japan

Pj-058-2 Evaluating the Utility of Plasma Biomarkers as a Screening Tool for Alzheimer's Disease Diagnosis

Nobutoshi Morimoto

Department of Neurology, Kagawa Prefectural Central Hospital, Japan

Pj-058-3 CSF-Based Evaluation of Anti-Amyloid Therapy and Diagnostic Reclassification in Dementia

Yasuhiro Yoshii

Department of Neurology, Nippon Koukan Hospital, Japan

Pj-058-4 Prognosis Prediction for Anti-Amyloid Antibody Therapy Using CSF Biomarkers and Brain Imaging

Ryuichi Takahashi

Department of Neurology, Hyogo Prefectural Rehabilitation Hospital at Nishi-Harima, Japan
 /Nishi-Harima Dementia-related Disease Medical Center, Hyogo Prefectural Rehabilitation Hospital at Nishi-Harima, Japan

Pj-058-5 CSF p-Tau 181 levels may predict the therapeutic effects of anti-amyloid beta antibody drugs

Yuki Naeshiro

Department of Neurology, Graduate School of Medicine, Kyoto Prefectural University of Medicine, Japan

Pj-058-6 Association Between Serum Lipid Parameters and Amyloid Pathology Positivity in a Retrospective Study

Makoto Nakajima

Department of Geriatric Medicine, Japan

Pj-059 Japanese Poster Session 059

Jp

May 22 (Fri) 16 : 45 ~ 18 : 05 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Dementia (Alzheimer's diseases) 4

Chair : Akitoshi Takeda

Department of Neurology, Osaka Metropolitan University Hospital, Japan

Pj-059-1 Association between ARIA locations and regional amyloid deposition in lecanemab-treated patients

Jota Minamikawa

Department of Neurology, Kanazawa University, Japan

Pj-059-2 Case Series of Amyloid-Related Imaging Abnormalities (ARIA) in Our Institution

Yumi Honda

Department of Neurology, Kumamoto University Hospital, Japan

Pj-059-3 Changes in biomarker for Japanese patients with donanemab treatment in TB2 exposure addendum

Naohisa Hatakeyama

Eli Lilly Japan, Japan

Pj-059-4 Amyloid PET centiloid and cognitive change in early Alzheimer's disease treated with lecanemab

Ayano Shima

Department of Neurology, Kanazawa University, Japan

Pj-059-5 Usefulness of Alpha-1 Acid Glycoprotein as a Serum Biomarker in Cerebral Amyloid Angiopathy

Akisato Nishigaki

Department of Neurology, Mie University Graduate School of Medicine, Japan

Pj-059-6 Incidental DWI Lesions in Cognitively Impaired Older Adults: Clinical Features and Links to AAT

Fukiko Kitani-Morii

Department of Neurology, Kyoto Prefectural University of Medicine, Japan

Pj-060 Japanese Poster Session 060

Jp

May 22 (Fri) 16 : 45 ~ 18 : 05 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Parkinson's disease (Clinical study) 3

Chair : Yasuyuki Ohta

Division of Neurology, Department of Internal Medicine III, Yamagata University School of Medicine, Japan

Pj-060-1 Rehabilitation Hospitalization for Parkinson's Disease -Effectiveness and Safety-

Hideyuki Matsumoto

Department of Neurology, Mitsui Memorial Hospital, Japan

Pj-060-2 Evaluation of brain plasticity after neurorehabilitation for Parkinson's disease. 2nd report

Yuto Morishima

Department of Neurology, University of Yamanashi Hospital, Japan

Pj-060-3 A 60-Month Prospective Follow-Up Study of Deep Brain Stimulation for Parkinson's Disease

Shinichi Shirai

Hokkaido University Department of Neurology, Japan

Pj-060-4 A Survey on Perceptions of Deep Brain Stimulation and Telemedicine in Parkinson's Disease

Kei Okuba

Department of Neurology, Saitama Medical University, Japan

Pj-060-5 Preoperative Cortical Thickness and Surface Area Impact on Treatment Outcomes One Year After DBS

Koichi Miyashita

Department of Neurology, Mie University School of Medicine, Japan

Pj-061 Japanese Poster Session 061

Jp

May 22 (Fri) 16 : 45 ~ 18 : 05 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Parkinson's disease (Cognitive impairment/ Neuropsychiatric symptoms)

Chair : Hodaka Yamakado

Department of therapeutics for Multiple System Atrophy Kyoto University Graduate School of Medicine, Japan

Pj-061-1 Neuropsychological characteristics of alexithymia in drug-naive Parkinson's disease patients

Hidetomo Murakami

Department of Neurology, Showa Medical University School of Medicine, Japan

- Pj-061-2** Rapid eye movement sleep behavior disorder is associated with
pareidolia in Parkinson's disease
Masakazu Ozawa
Department of Neurology, The Jikei University School of Medicine, Japan / Division of
Regenerative Medicine, The Jikei University School of Medicine, Japan
- Pj-061-3** Disease-Related Regions of Brain Atrophy and WMS-R Memory
profile in Parkinson's Disease
Yasuko Kuroha
NHO Nishinigata Chuo Hospital, Japan
- Pj-061-4** Masseter muscle thickness reflects skeletal muscle volume & cognitive
decline in Parkinson's disease
Yuichiro Muraoka
Department of Neurology, The Jikei University School of Medicine, Japan
- Pj-061-5** L-dopa blood levels affect the severity of apathy in Parkinson's disease
Tomoyuki Kuno
Department of Neurology, Nagoya City University West Medical Center, Japan / Department of
Neurology, Nagoya City University Graduate School of Medical Sciences, Japan
- Pj-061-6** Behavioral Characteristics and Neural Basis of Theory of Mind in
Parkinson's Disease
Shuichi Tanifuji
Department of Neurology, Graduate School of Medicine, The University of Tokyo, Japan /
Integrative Brain Imaging Center, National Center of Neurology and Psychiatry, Japan
- Pj-061-7** Study of Smartphone App-Based Noise Pareidolia Test for Parkinson's
Disease
Tatsuhiko Ozono
Department of Neurology, The University of Osaka Graduate School of Medicine, Japan

Pj-062 Japanese Poster Session 062**Jp**

May 22 (Fri) 16:45 ~ 18:05 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Parkinson's disease (Clinical study) 4

Chair : Takahiro Kano

Department of Neurology, Obihiro-Kosei General Hospital, Japan

- Pj-062-1** How to care for a Parkinson's disease patient at home?
Takuma Kuroki
ASUKA HOMECARE CLINIC, Japan
- Pj-062-2** Status of Continuous Subcutaneous Foslevodopa-Foscarbidopa Therapy
and Regional Medical Coordination
Mayuka Sakai
Department of Neurology and Geriatrics, Kagoshima University Graduate School of Medical and
Dental Sciences, Japan

Pj-062-3 Interim Report on Multidisciplinary Support for Parkinson's Residents in a Care Home

Hiroshi Tsuji

Department of Neurology, Graduate School of Medicine, Osaka Metropolitan University, Japan

Pj-062-4 Assessing Parkinson's disease care using National Database of Health Insurance Claims and Checkups

Daisuke Sato

Fujita Health University, Japan

Pj-062-5 Periodontal pathogens linked to clinical features and motor subtypes in Parkinson's disease

Hidetada Yamada

Department of Clinical Neuroscience and Therapeutics Hiroshima University Graduate School of Biomedical and Health Sciences, Japan

Pj-063 Japanese Poster Session 063

Jp

May 22 (Fri) 16 : 45 ~ 18 : 05 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Dystonia/ Involuntary movement

Chair : Katsuo Kimura

Department of Neurology, Yokohama City University Medical Center, Japan

Pj-063-1 Elucidating Corticospinal Tract White Matter Impairment in Tardive Dystonia by Fixel-Based Analysis

Kazuo Washida

Department of Neurology, Hyogo Medical University, Japan / Department of Neurology, Washida Hospital, Japan

Pj-063-2 Usefulness of Muscle Afferent Block for Camptocormia in Parkinson's Disease

Shotaro Horie

Mie University Hospital Department of Neurology, Japan

Pj-063-3 Involvement of sternal and clavicular heads in involuntary movements of spasmodic torticollis

Mikio Osawa

Botulinum Toxin Therapy Center for Neurology, Tokyo Clinic, Japan / Outpatient Clinic for Botulinum Toxin Therapy for Neurology, Shin-Yurigaoka General Hospital, Japan

Pj-063-4 Epidemiological Study of Hemifacial Spasm in Sado Island

Masashi Teramoto

Sado General Hospital, Japan

Motor neuron disease (ALS : Clinical practice) 3

Chair : Yu Yamazaki

Department of Clinical Neuroscience and Therapeutics, Hiroshima University
Graduate School of Biomedical and Health Sciences, Japan**Pj-064-1 Functional Outcomes and Quality of Life According to Living Setting in Patients with ALS**

Aoi Fudo

Department of Neurology, Kumamoto University, Japan

Pj-064-2 Survey on the awareness of patients with ALS regarding "Patient and Public Involvement"

Makiko Ogawa

Department of Neurology, Toho University Faculty of Medicine, Japan

Pj-064-3 Survey on awareness of the lack of drugs developed in Japan for patients with ALS and caregivers

Ryuichi Okamoto

Department of Neurology, Toho University Faculty of Medicine, Japan

Pj-064-4 The influence of mild Frontal Assessment Battery decline on the clinical symptoms of ALS

Takashi Hosaka

University of Tsukuba, Department of Neurology, Japan

Pj-064-5 Epidemiology of Amyotrophic Lateral Sclerosis newly diagnosed in Sado island

Takashi Teramoto

Joetsu General Hospital, Japan / Sado General Hospital, Japan

Pj-064-6 Report of an ALS Patient Receiving injectable Mecobalamin in Our Clinic's Home Visit Care

Shizuka Netsu

Department of Neurology, Isehara Ekimae Clinic, Japan

Cerebellar ataxia • Spastic paraplegia (Spastic paraplegia/ Others)

Chair : Naonobu Futamura

NHO Hyogo-Chuo Hospital, Japan

Pj-065-1 Hereditary congenital cataract with spastic paraplegia in a Japanese family

Shiroh Miura

Department of Neurology and Geriatric Medicine, Ehime University Graduate School of Medicine, Japan / Division of Genomics, Medical Institute of Bioregulation, Kyushu University, Japan

Pj-065-2 A family with a REEP1 gene variant in hereditary spastic paraplegia
Tomoaki Nada

Department of Neurology, Okayama University Hospital, Japan

Pj-065-3 Final results of the national survey on autoimmune cerebellar ataxia
in Japan and future challenges

Shintaro Fujii

Department of Neurology, Faculty of Medicine and Graduate School of Medicine, Hokkaido University, Japan

Pj-065-4 Chronic toluene neurotoxicity mimicking spinocerebellar degeneration
in two lifelong friends

Hiroyasu Inoue

Department of Neurology, Nagoya City University Hospital, Japan

Pj-065-5 A Study of Cerebellar Ataxia, Including Autoimmune Forms, at Our
Hospital

Naoko Nakamura

Department of Neurology, Mie University, Japan

Pj-065-6 Genetic analysis of ten families with spastic paraparesis

Kazuki Watanabe

Department of Neurology, Hamamatsu University School of Medicine, Japan

Pj-066 Japanese Poster Session 066

Jp

May 22 (Fri) 16 : 45 ~ 18 : 05 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Neuroimmunology (MS: Treatment, others) 2

Chair : Yuji Tomizawa

Department of Neurology, Faculty of Medicine, Juntendo University, Japan

Pj-066-1 Can Heart Rate Variability Reflect Quality of Life in Patients with
Multiple Sclerosis?

Kenzo Sakurai

Department of Neurology, St. Marianna University School of Medicine, Japan

Pj-066-2 Differential Brain Atrophy-Cognition Relationships in MS and NMOSD
Assessed via Synthetic MRI

Hiroyuki Naito

Department of Clinical Neuroscience and Therapeutics, Hiroshima University, Japan

Pj-066-3 Examination of the impact on infants born to mothers with multiple
sclerosis in Japan

Kaori Yanagawa

Department of Neurology, Brain Research Institute, Niigata University, Japan

Pj-066-4 EBV Seronegativity in MS-Related Disorders and Characteristics of
EBV-Seronegative MS

Harumasa Shimoda

Department of Neurology, Faculty of Medicine, Juntendo University, Japan

Pj-066-5 Development of ELISA for Measuring LOTUS as a Biomarker of Disease Activity in Multiple Sclerosis

Keita Takahashi

Department of Neurology and Stroke Medicine, Graduate School of Medicine, Yokohama City University, Japan

Pj-066-6 Study on early diagnosis of Multiple Sclerosis

Saori Morozumi

Nagoya Medical Center, Japan

Pj-066-7 Utility of Two-Dimensional MRI Parameters for Assessing Brain Atrophy in Multiple Sclerosis

Kohei Asano

Okazaki City Hospital, Department of Neurology, Japan

Pj-067 Japanese Poster Session 067

Jp

May 22 (Fri) 16 : 45 ~ 18 : 05 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Neuroimmunology (Autoimmune encephalitis) 3

Chair : **Hiroaki Yaguchi**

Department of Neurology, Faculty of Medicine and Graduate School of Medicine, Hokkaido University, Japan

Pj-067-1 Two cases presenting with neurological symptoms and markedly elevated anti-GAD antibody titers

Jinichi Nunomura

Department of Neurology, Aomori Shintoshu Hospital, Japan

Pj-067-2 Clinical and Laboratory Features of CNS-irAEs Associated with Immune Checkpoint Inhibitors

Sota Uemura

Kobe city medical center general hospital, Japan

Pj-067-3 Clinical Phenotypes of MOGAD and the Significance of Elevated Cerebrospinal Fluid IL-6

Ayumu Inoue

Department of Neurology, Niigata City General Hospital, Japan

Pj-067-4 Supportive Features and Timing of Therapeutic Intervention in Anti-IgLON5 Disease

Yoya Ono

Department of Neurology, Gifu University graduate school of medicine, Japan

Pj-067-5 Attempt to Establish a Mouse Model of Cerebellitis Using Intrathecal Administration of Serum IgG

Megumi Isa

Self-Defense Forces Medical Hospital, Japan

Neuroimmunology (GBS)

Chair : Kazumoto Shibuya

Department of Neurology Graduate School of Medicine Chiba University, Japan

Pj-068-1 Long-term rehabilitation treatment for severe Guillain-Barré syndrome patients

Junko Ikeda

Department of Neurology, Hiroshima city Rehabilitation Hospital, Japan

Pj-068-2 Comparison of Diagnostic Criteria in Guillain-Barré Syndrome

Miki Fukazawa

Shin-Yurigaoka General Hospital, Japan / Department of Neurology, Nippon Medical School Hospital, Japan

Pj-068-3 The clinical course of Guillain-Barré syndrome at our center: change after COVID-19 pandemic

Fumika Kitayoshi

Higashiosaka City Medical Center, Japan

Pj-068-4 Changes in the Epidemiology of Guillain-Barré Syndrome Associated with the COVID-19 Pandemic

Ryohei Nakao

Department of Neurology, Tokushima University Graduate School of Biomedical Sciences, Japan / Department of Rehabilitation, Tokushima University Hospital, Japan

Pj-068-5 Guillain-Barré Syndrome with Facial Nerve Palsy from the Early Phase of the Disease

Sho Morishima

Department of Neurology, Yokohama Rosai Hospital, Organization of Occupational Health and Safety, Japan

Pj-068-6 The frequency of give-way weakness in Guillain-Barré syndrome

Takamichi Kanbayashi

Department of Neurology, Teikyo University School of Medicine, Japan

Pj-068-7 Examination of clinical symptoms of anti-GQ1b antibody syndrome at our hospital

Kazuki Ogawa

aizawa hospital, Japan

Neuroimmunology (Clinical study) 4

Chair : Fumitaka Shimizu

Department of Neurology and Clinical Neuroscience, Yamaguchi University
Graduate School of Medicine, Japan**Pj-069-1 Clinical Features of Anti-Hu Antibody-Positive Paraneoplastic Neurological Syndromes**

Naohito Kimura

Department of Neurology, Kyorin University Hospital, Japan

Pj-069-2 LYG(lymphomatoid granulomatosis) mimics CLIPPERS

Mizuki Takahashi

Department of Neurology, Shibata hospital, Niigata prefecture, Japan

Pj-069-3 3 cases of subacute progressive myelopathy following umbilical cord blood transplantation for AML

Kyosuke Muramatsu

Toranomon Hospital, Department of Neurology, Japan

Pj-069-4 A Review of Three Cases of Marchiafava-Bignami Disease Experienced in Our Department

Masateru Tajiri

Department of Neurology, Japanese Red Cross Nagano Hospital, Japan

Pj-069-5 Study of Delayed Posthypoxic Leukoencephalopathy Cases in Our Hospital

Kaori Takahara

Hyogo Prefectural Kakogawa Medical Center, Japan

Neuropathy (Clinical Study) 1

Chair : Mitsuharu Ueda

Department of Neurology, Graduate School of Medical Sciences, Kumamoto University, Japan

Pj-070-1 Clinical features of Sjögren's syndrome-associated neuropathy with distal sensory polyneuropathy

Masaki Kobayashi

Department of Neurology, Nara Medical University, Japan

Pj-070-2 Pathological Characteristics of Primary Perineuritis

Hiroki Takeuchi

Department of Neurology, NHO Minami Kyoto Hospital, Japan

Pj-070-3 Clinical features of chronic inflammatory demyelinating polyneuropathy with diabetes mellitus

Hironori Shimizu

Neurology Department of Nara Medical University, Japan

Pj-070-4 Quality of Life and Associated Factors in CIDP: Analysis From Japan Neuroimmunology Association

Masahiro Mimori

Department of Neurology, The Jikei University of Medicine, Japan

Pj-070-5 4 cases of POEMS syndrome with bone lesions prior to clinical symptom onset

Kazuaki Kito

Chiba University Hospital, Japan

Pj-071 Japanese Poster Session 071

Jp

May 22 (Fri) 16 : 45 ~ 18 : 05 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Neuromuscular junction disease (MG: Treatment) 1

Chair : Ryotaro Ikeguchi

Department of Neurology, Tokyo Women's Medical University, Japan

Pj-071-1 Our Experience with Subcutaneous Efgartigimod alpha for Generalized Myasthenia Gravis

Masayoshi Tada

Department of Neurology, Niigata City General Hospital, Japan

Pj-071-2 Long-term Outcomes of Efgartigimod in Generalized Myasthenia Gravis in Our Clinical Practice

Michie Imamura

Department of Neurology, Kumamoto University, Japan

Pj-071-3 Efgartigimod as an Early Fast-Acting Treatment in Five Cases of Generalized Myasthenia Gravis

Kenta Ishii

Kyoto Prefectural University of Medicine, Japan

Pj-071-4 Early Rapid-Acting Efgartigimod Therapy in Two Cases of Generalized Myasthenia Gravis

Masataka Yamashiro

Department of Neurology, School of Medicine, University of Occupational and Environmental Health, Japan

Pj-071-5 Case series of generalized myasthenia gravis treated with Efgartigimod

Naomi Suzuki

Department of Neurology, Akita Red Cross Hospital, Japan

Pj-071-6 Once every four weeks efgartigimod administration can be maintenance therapy for myasthenia gravis

Wataru Shiraishi

Department of Neurology, Kokura Memorial Hospital, Japan

Pj-071-7 Treatment Patterns and Healthcare Use in gMG Patients Starting Efgartigimod: A Retrospective Study
Hirofumi Teranishi
argenx, Belgium

Pj-072 Japanese Poster Session 072

Jp

May 22 (Fri) 16 : 45 ~ 18 : 05 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Muscle disease (Clinical study) 1

Chair : Takashi Mikata
NHO Shimosizu national hospital, Japan

Pj-072-1 Myopathological changes and capillary pathology in systemic sclerosis associated muscle involvement

Asuka Kitamura
Department of Neurology, Graduate School of Medicine, The University of Tokyo, Japan /
Department of Neurology, Tokyo Metropolitan Institute for Geriatrics and Gerontology, Japan

Pj-072-2 Clinical features and prognosis of anti-mitochondrial M2 antibody-positive myositis

Yukako Nishimori
Department of Neurology, Nara Medical University, Japan

Pj-072-3 The efficacy of immunoglobulin for anti-SRP antibody positive immune-mediated necrotizing myopathy

Shota Hirakata
Fujimoto General Hospital Department of Neurology, Japan / Kagoshima University Graduate School of Medical and Dental Sciences Department of Neurology and Geriatrics, Japan

Pj-072-4 A Study of 8 Cases of Immune-Mediated Necrotizing Myopathy in Our Hospital

Miki Masuda
Kagoshima University Hospital Neurology, Japan

Pj-072-5 Clinical manifestations and serum GDF-15 levels in idiopathic inflammatory myositis

Kaori Sumi
Department of Neurology, Faculty of Medicine, Oita University, Japan

Pj-072-6 The relations of cognitive impairment and the brain atrophy in patient with Myotonic dystrophy type1

Yasushi Takehisa
Japanese Red Cross Okayama Hospital Department of Neurology, Japan

Pj-072-7 Evaluation of the efficacy of Viltolarsen to DMD using muscular imaging (part 2)

Satoshi Kuru
Department of Neurology, NHO Suzuka National Hospital, Japan

Neuroinfection (Clinical study) 2

Chair : Yoshihisa Yamano

Department of Neurology, St. Marianna University School of Medicine, Japan

Pj-073-1 Diagnostic Utility of THK5351 Tau PET in Two Cases of Progressive Multifocal Leukoencephalopathy

Rie Kawakita

Department of Gastroenterology and Neurology, Kagawa University, Japan

Pj-073-2 Two cases of progressive multifocal leukoencephalopathy associated with untreated sarcoidosis

Yuka Kato

Department of Neurology, Brain Research Institute, Niigata University, Japan

Pj-073-3 Clinical Characteristics of Two Patients with Progressive Multifocal Leukoencephalopathy (PML)

Takuma Adachi

Department of Neurology and Geriatrics, Kagoshima University Graduate School of Medical and Dental Sciences, Japan

Pj-073-4 Two autopsied cases of thalamic-type sporadic Creutzfeldt-Jakob disease

Ken Takasone

Department of Medicine (Neurology and Rheumatology), Shinshu University School of Medicine, Japan

Pj-073-5 Analysis of factors associated with increased Creutzfeldt-Jakob Disease cases and clinical features

Yutaro Suzuki

Nara Medical University, Department of Neurology, Japan

Pj-073-6 20-year f/u after genetic analysis in 1 FFI family & 2 cases of FFI that occurred in 3rd generation

Shigeo Takeuchi

Komatsu Hospital Dept. of Neurology, Japan / Sakura General Hospital Dept. of Neurology, Japan / Osu Hospital Dept. of Neurology, Japan

Pj-073-7 Changes in the Clinical Presentation of HTLV-I-Associated Myelopathy Patients in an Aging Society

Mika Dozono

Department of Neurology and Geriatrics, Kagoshima University Graduate School of Medical and Dental Sciences, Japan

Epilepsy (Clinical study) 3

Chair : Kei-ichiro Takase

Department of Neurology, Iizuka Hospital, Japan

Pj-074-1 Intravenous Lidocaine Therapy for Refractory Status Epilepticus in C-NORSE

Mayu Sugata

Nara Medical University, Japan

Pj-074-2 A Study of Two Cryptogenic-NORSE Cases Treated with Immunotherapy

Iku Kinoshita

Aomori Prefectural Central Hospital, Neurology., Japan

Pj-074-3 Risk of drug eruption to Lamotrigine and Levetiracetam by Age, Sex, and Reproductive Status

Takafumi Abe

Department of Clinical Neuroscience and Therapeutics, Hiroshima University, Graduate School of Biomedical and Health Sciences, Japan

Pj-074-4 Characteristics of a Case with First-Time Seizure Leading to Status Epilepticus and Intubation

Miho Sakuma

Department of Neurology, Tokyo Metropolitan Bokutoh Hospital, Japan

Pj-074-5 Two Cases of Status Epilepticus History With Seizure Recurrence After Clobazam Discontinuation

Soichiro Numa

Department of Neurology and Stroke Treatment, Japanese Red Cross Kyoto Daiichi Hospital, Japan

Pj-075 Japanese Poster Session 075**Neuropsychology 2**

Chair : Yuko Wada

Rakuwakai Otowa hospital, Japan

Pj-075-1 Cognitive Profiles in MORC2-Related CMT2Z: A WAIS-IV Assessment of Two Cases

Yasuhiro Aso

Department of Neurology, Oita Prefectural Hospital, Japan

Pj-075-2 Application of the Cogstate Brief Battery in Assessing Cognitive Function in older Japanese adults

Takuya Ataka

Department of Neurology, Oita university, Japan

Pj-075-3 Clinical Practice of Administering Anti-Amyloid Antibody Therapy for Atypical Alzheimer's Disease
Kazuo Kakinuma
Tohoku University Graduate School of Medicine Behavioral neurology & Cognitive neuroscience, Japan

Pj-075-4 Patient-Clinician Collaboration to Reproduce Topographical Disorientation and Develop a Support Tool
Akinori Futamura
Showa Medical University Fujigaoka Hospital, Japan

Pj-076 Japanese Poster Session 076

Jp

May 23 (Sat) 13 : 15 ~ 14 : 35 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Cerebrovascular disease (Cerebral small vessel disease)

Chair : Yusuke Yakushiji
Department of Neurology, Kansai Medical University, Japan

Pj-076-1 An Investigation of Vascular Parkinsonism in Hereditary Cerebral Small Vessel Disease
Jun Takei
Department of Neurology and geriatrics, Kagoshima University Hospital, Japan

Pj-076-2 Atypical Clinical Features in Two Patients with CADASIL: A 5-Year Single-Center Case Series
Aki Mitsue
Teikyo University Chiba Medical Center, Japan

Pj-076-3 Age-Adjusted baPWV and Small Vessel Disease: A Cross-Sectional Study in Brain checkup Participants
Tomo Miyagi
Department of Cardiovascular Medicine, Nephrology and Neurology, Graduate School of Medicine, University of the Ryukyus, Japan

Pj-076-4 Possibility of Geographical Clustering of the CADASIL in Fukui Prefecture
Tomohisa Yamaguchi
University of Fukui Department of Neurology, Japan / University of Fukui Hospital Department of Medical Genetics, Japan

Pj-076-5 Clinical and Radiological Features of Three Cases of HTRA1-Related Cerebral Small Vessel Disease
Shiori Sato
Department of Neurology, The University of Tokyo Hospital, Japan

Pj-076-6 GOM-Positive Skin Biopsy in a NOTCH3 D239N Case and the Phenotypic Diversity of Non-Cysteine CADASIL
Yusuke Yamashita
Department of Neurology and Geriatrics, Kagoshima University Hospital, Japan

22

23

Cerebrovascular disease (Clinical study) 4

Chair : Takako Abe

Department of neurology, Tokai University School of medicine, Japan

Pj-077-1 Clinical Analysis of Trousseau Syndrome Associated with Non-Adenocarcinomas in Our Institution

Shumpei Matsumoto

Japanese Red Cross Aichi Medical Center Nagoya Daini Hospital, Department of Neurology, Japan

Pj-077-2 Characteristics of Stroke in Dialysis Patients

Masashi Idezuka

Niigata University Brain Research Institute of Neurology, Japan

Pj-077-3 Clinical features of two cases of cerebral venous thrombosis associated with iron deficiency anemia

Koki Koizumi

Department of Neurology, Niigata Prefectural Shibata Hospital, Japan

Pj-077-4 Clinical Study of Iatrogenic Cerebral Amyloid Angiopathy

Himena Aoyama

Department of Neurology, The University of Tokyo Hospital, Japan

Pj-077-5 Clinical Characteristics of Young Adult Ischemic Stroke in Our Institution

Kensuke Ogata

Department of Neurology, Kitasato University School of Medicine, Japan

Dementia (Clinical study) 7

Chair : Yukari Imon

Imon Yukari Neurology Clinic, Japan

Pj-078-1 Clinical, Neuropsychological, and Neuroimaging Features of Posterior Cortical Atrophy

Hidehito Nishi

Department of Neurology and Stroke Medicine, Saitama Medical University Hospital, Japan

Pj-078-2 Clinical findings of posterior cortical atrophy in two cases of our institute

Tsuneaki Yoshinaga

Shinshu University Hospital, Department of Neurology and Rheumatology, Japan

Pj-078-3 Five cases of idiopathic normal pressure hydrocephalus with coexisting parkinsonism

Tomoki Inoue

Department of Neurology, Graduate School of Medicine, The University of Tokyo, Japan

Pj-078-4 Retrospective analysis of idiopathic normal pressure hydrocephalus and neurodegenerative disorders

Shunichi Niiyama

Department of Neurology, Juntendo University School of Medicine, Juntendo Hospital, Japan

Pj-078-5 Clinical Characteristics of Idiopathic Basal Ganglia Calcification

Hironori Mizutani

Department of Neurology, Kumamoto University, Japan

Pj-078-6 LOEU with chronic progressive amnesia: A case with over 20-year follow-up

Takafumi Wada

Department of Neurology, Kyoto University Graduate School of Medicine, Japan

Pj-078-7 Analysis of convexity subarachnoid hemorrhage

Takeshi Kawarabayashi

Department of Neurology, Geriatrics Research Institute and Hospital, Japan / Department of Neurology, Gunma University Graduate School of Medicine, Japan

Pj-079 Japanese Poster Session 079

Jp

May 23 (Sat) 13 : 15 ~ 14 : 35 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Dementia (Alzheimer's diseases) 5

Chair : Keisuke Suzuki

Innovation Center for Translational Research, National Center for Geriatrics and Gerontology, Japan

Pj-079-1 Vestibular Dysfunction in Alzheimer's Disease at the Level of Mild Cognitive Impairment

Kiyotaka Nakamagoe

Department of Neurology, Institute of Medicine, University of Tsukuba, Japan

Pj-079-2 Identification of SCD-Specific Preclinical Alzheimer's Disease MRI Patterns:A DSA-Based Analysis

Kenichi Iwasa

Shimane University Department Neurology, Japan

Pj-079-3 Development of a Regression Model to Predict CDR-Sum of Boxes from MMSE Scores

Yutaro Suzuki

Department of Neurology, Graduate School of Medicine, Chiba University, Japan

Pj-079-4 Investigation of Treatment Response Assessment with Cerebral Blood Flow SPECT in Lecanemab Therapy

Shohei Ikeda

Department of Neurology, Toyota Kosei Hospital, Japan

Pj-079-5 VR-Based Path Integration Predicts Individuals at Risk of Rapid Cortical Decline

Kazuya Kawabata

Department of Neurology, Fujita Health University Graduate School of Medicine, Japan

Pj-079-6 Biomarker-Guided Introduction of Anti-Amyloid-beta Antibody Therapy in Corticobasal Syndrome

Takuya Homma

Kawasakikadaigaku sinnkeinaika, Japan

Pj-080 Japanese Poster Session 080

Jp

May 23 (Sat) 13:15 ~ 14:35 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Dementia (Alzheimer's diseases) 6

Chair : Yoshiki Niimi

Unit for early and exploratory clinical development/Dementia Inclusion and Therapeutics, Japan

Pj-080-1 Arginine exhibits therapeutic effects by suppressing Abeta pathology in Alzheimer's disease models

Kanako Fujii

Department of Neurology, Kindai University Faculty of Medicine, Japan

Pj-080-2 Rationale and Early Development of Subcutaneous Lecanemab

Seiichi Hayato

Eisai Co., Ltd., Japan

Pj-080-3 Safety Profile of a Subcutaneous Lecanemab Formulation

Misako Takei

Eisai Co., Ltd., Japan

Pj-080-4 Functional Assay of novel *PSEN1* mutations causing early-onset Alzheimer's disease

Midori Watanabe

Department of Neurology, Brain Research Institute, Niigata University, Japan / Department of Molecular Genetics, Brain Research Institute, Niigata University, Japan

Pj-080-5 Course of BPSD in Alzheimer's disease on MHD treated with brexpiprazole and Yokukansan

Taro Ozaki

Kanazawa Nishi Hospital Department of Neurology, Japan

Pj-080-6 Building a Community Medical Cooperation System for MCI and Dementia with Amyloid-targeted therapy

Hideto Joki

Department of Neurology, National Hospital Organization Yokohama Medical Center, Japan

Parkinson's disease (Clinical study) 6

Chair : Genko Oyama

Saitama Medical University, Department of Neurology, Japan

Pj-081-1 Correlation between Striatal Dopaminergic Function and Microglial Activation in Early PD

Hirotsugu Takashima

Biofunctional Imaging Laboratory, Institute of Photonics Medicine, Hamamatsu University School of Medicine, Japan / NHO Shizuoka Institute of Epilepsy and Neurological, Japan

Pj-081-2 Direct Association of Alpha-Synuclein Seed Amplification Assay and Cardiac MIBG in Lewy Body Disease

Ryosuke Shimasaki

Department of Neurology, Tokyo Metropolitan Institute for Geriatrics and Gerontology, Japan

Pj-081-3 Evaluation of multiple imaging biomarkers in diagnosis of Parkinson's disease

Kazuyoshi Shinpo

Department of Neurology, Hokkaido Neurosurgical Memorial Hospital, Japan

Pj-081-4 Akkermansia nanA-based qPCR reveals sialic acid metabolism alterations linked to Parkinson's disease

Yosuke Kono

Department of Neurology, Fujita Health University School of Medicine, Japan

Pj-081-5 The associations of CSF amino acids with depressive symptoms and behavioral traits in PD

Momoyo Ibukuro

Department of Neurology, The Jikei University School of Medicine, Japan

Pj-081-6 The Relationship between Temporal Cognition Tasks and EEG in Parkinson's Disease

Naoki Kotsuki

Department of Neurology, Kyorin University Hospital, Japan

Parkinson's disease (Epidemiology)

Chair : Morinobu Seki

Department of Neurology, Keio University School of Medicine, Japan

Pj-082-1 Hoehn & Yahr scale and MDS-UPDRS Part 3 progression in Parkinson's disease patients

Tomomi Watanabe

Sumitomo Pharma Co., Ltd. IT Management & Data Analytics, Japan

- Pj-082-2** Caregiver burden factors for elderly patients with Parkinson's disease
Maki Miura
Department of Neurology, Aomori Prefectural Central Hospital, Japan
- Pj-082-3** Rehabilitation Utilization Among Outpatients With Early-Stage Parkinson's Disease at Our Hospital
Hiroki Suo
Kyoto Prefectural University of Medicine, Japan
- Pj-082-4** Traffic accident rates of patients with Parkinson's disease exposed to non-ergot dopamine agonists
Shuhei Ogami
Wakayama medical university Kihoku Hospital, Japan / Wakayama Medical University, Department of Neurology, Japan
- Pj-082-5** A prospective analysis of clinical prognosis in patients with Parkinson's Disease
Remi Morimoto
Department of Neurology, Tokyo Women's Medical University Hospital, Japan

Pj-083 Japanese Poster Session 083

Jp

May 23 (Sat) 13 : 15 ~ 14 : 35 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Parkinson's disease (Clinical study) 7

Chair : Haruo Nishijima

Department of Neurology, Hirosaki University Hospital, Japan

- Pj-083-1** An observational study on Parkinsonian patients on Hoehn & Yahr stage 5 at the first visit
Kenji Yoshikawa
Zaitaku-kai Minnano Clinic Katsura, Japan
- Pj-083-2** Characteristics of 3 Cases of Parkinsonism with Symptom Changes Following Earthquake Disaster
Kiyonobu Komai
NHO Iou National Hospital, Hokuriku Brain and Neuromuscular Disease Center, Department of Neurology, Japan
- Pj-083-3** Association of Tongue Pressure with UPDRS Part II-III in Parkinson's Disease
Haruna Ushimura
Ishikawa Prefectural Nursing University, Japan
- Pj-083-4** Development of a Aspiration Prediction Model in Parkinson's Disease
Fumiko Furukawa
National Center Hospital, National Center of Neurology and Psychiatry, Japan
- Pj-083-5** Relationship between dysgraphia and motor dysfunction in Parkinson's disease
Naohisa Ueda
Department of Neurology, Yokohama City University Medical Center, Japan

Pj-083-6 Is olfactory dysfunction related to asymmetry of dopamine neuron in Parkinson's disease?

Fumie Wada

Department of Neurology, The Jikei University School of Medicine, Japan

Pj-084 Japanese Poster Session 084

Jp

May 23 (Sat) 13:15 ~ 14:35 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Parkinson's syndrome 4

Chair : Shinsuke Hamada

Hokuyukai Neurological Hospital, Japan

Pj-084-1 Analysis of Prognostic Factors in Multiple System Atrophy

Hideyuki Shimizu

Department of Neurology, National Center of Neurology and Psychiatry Hospital, Japan

Pj-084-2 Characteristics of Urinary Retention and Association with Caudate in MSA by Novel DAT SPECT Analysis

Tomoyuki Kato

Department of Neurology, Nagoya University Graduate School of Medicine, Japan

Pj-084-3 Factors Associated with Dysphagia in Multiple System Atrophy: A Retrospective Study

Nobutaka Takahashi

Fukuoka University Hospital, Japan

Pj-084-4 withdrawn

Pj-084-5 Two autopsy cases of dementia with Lewy bodies presenting with vocal cord abductor paralysis

Shuta Toru

Dept. of Neurology, Nitobe Memorial Nakano General Hospital, Japan

Pj-084-6 Clinical characteristics of idiopathic Normal Pressure Hydrocephalus (iNPH) cases at our institution

Miwako Kido

NHO Okinawa National Hospital Division of Neurology, Japan

Pj-084-7 Clinical Features of Involuntary Movements Responsive to Corticosteroid Therapy

Gohei Yamada

Nagoya City University West Medical Center, Japan

Motor neuron disease (Clinical study) 1

Chair : Mari Tada

Department of Pathology and ChBRI, Brain Research Institute, Niigata University, Japan

Pj-085-1 The Nine-Hole Peg Test and The Box and Block Test to Assess Manual Dexterity in Individuals with SMA

Masahisa Katsuno

Department of Neurology, Nagoya University, Japan

Pj-085-2 Evaluation of Upper Limb Performance Fatigability Using the 9-Hole Peg Test (9HPT) in SMA

Kentaro Sahashi

Department of Neurology, Nagoya University Graduate School of Medicine, Japan

Pj-085-3 Comparison of Dysphagia Assessment Scales and Clinical Findings in Amyotrophic Lateral Sclerosis

Hajime Konishi

University of Tsukuba Hospital, Department of Neurology, Japan

Pj-085-4 Clinical Features and IVIg Response in Anti-glycolipid Antibody-Positive ALS: Four Case Analysis

Qiannan Wang

Department of Neurology, Niigata City General Hospital, Japan

Pj-085-5 Post-Marketing Surveillance of Risdiplam for Spinal Muscular Atrophy: Real-World Evidence from Japan

Toshio Saito

Division of Child Neurology, Department of Neurology, National Hospital Organization Osaka Toneyama Medical Center, Japan

Pj-085-6 The Utility of Evaluating Tongue Motion Artifacts on Cervical Spine Plain MRI Sagittal Images in ALS

Yuki Ishida

Department of Neurology, Brain Research Institute, Niigata University, Japan

Cerebellar ataxia • Spastic paraplegia (SCD) 3

Chair : Reiji Koide

Division of Neurology, Department of Medicine, Jichi Medical University School of Medicine, Japan

Pj-086-1 Clinical features of SCA31 (Spinocerebellar Ataxia Type 31) patients in our hospital

Takahiro Yoshinobu

Department of Neurology, Kanazawa University Graduate School of Medical Sciences, Japan

Pj-086-2 Clinical analysis of cases of CACNA1A-associated cerebellar ataxia
Kenichiro Nakamura
Department of Neurology, NHO Nishibeppu National Hospital, Japan / Department of Neurology,
Faculty of Medicine, Oita university, Japan

Pj-086-3 Genetic Analysis of RFC1 in Spinocerebellar Degeneration and Spastic
Paraplegia
Chika Matsuoka
Department of Neurology, Okayama University, Japan

Pj-086-4 Parent-Child Cases of Spinocerebellar Ataxia Type 42 (SCA42)
Observed Over 36 Years
Taijun Yunoki
Neurology, Okayama University Hospital, Japan

Pj-086-5 Neural basis of handkerchief-guide in cerebellar ataxic gait: caregiver
prediction and hand-CoM sync
Kiyomi Nagumo
Ushioda General Hospital, Japan

Pj-087 Japanese Poster Session 087

Jp

May 23 (Sat) 13 : 15 ~ 14 : 35 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Neuroimmunology (MS·NMO) 2

Chair : Tatsuhiro Misu
Department of Neurology, Clinical Research Innovation and Education Center,
Tohoku University Hospital, Japan

Pj-087-1 Prospective Three-Year Longitudinal Assessment of HRQoL in
NMOSD Under Monoclonal Antibody Treatment
Akihiro Ueda
Fujita Health University School of Medicine, Department of Neurology, Japan / Fujita Health
University Okazaki Medical Center, Neurology, Japan

Pj-087-2 Evaluation of biologics initiation and its steroid-sparing effects in
NMOSD
Masayuki Sato
Department of Neurology, Gunma University Graduate School of Medicine, Japan

Pj-087-3 Safety and efficacy of initiating DMT immediately after PE in NMO:A
five-case experience
Yasuko Matsumoto
Ishikawa prefectural central hospital, Department of Neurology, Japan

Pj-087-4 withdrawn

Pj-087-5 Clinical factors associated with the initiation of biologic therapy in
NMOSD
Junko Ishii
Department of Neurology, Kobe City Medical Center General Hospital, Japan

Pj-087-6 Effects of biologics on complement factors in neuromyelitis optica spectrum disorders

Katsuichi Miyamoto

Department of Neurology, Wakayama Medical University, Japan

Pj-088 Japanese Poster Session 088

Jp

May 23 (Sat) 13:15 ~ 14:35 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Neuroimmunology (Clinical study) 6

Chair : Nobuaki Yoshikura

Department of Neurology Gifu university Hospital, Japan

Pj-088-1 Phase 3 Clinical Study of IVIG for Efficacy and Safety in Patients with Autoimmune Encephalitis

Satoshi Kamei

Department of Neurology, Ageo Central General Hospital, Japan

Pj-088-2 A Single-Center Study of Clinical Outcomes in Autoimmune Encephalitis

Takahiro Yamaguchi

Department of Neurology, Kyushu University Hospital, Japan / Department of Clinical Laboratory, Division of Diagnostic Pathology, Center of Cellular & Molecular Medicine, Kyushu University Hospital, Japan

Pj-088-3 Rapid screening system for autoimmune encephalitis antibody and clinical outcomes

Sotaro Noda

Department of Neurology, Fujita Health University School of Medicine, Japan

Pj-088-4 Two Cases of Anti-NMDA Receptor Encephalitis Successfully Treated with Rituximab

Takumi Matsuda

Japan Institute for Health Security National Center for Global Health and Medicine, Japan

Pj-088-5 Report of six cases of autoimmune GFAP astrocytopathy

Shoko Yorozu

Department of Neurology, Wakayama Medical University, Japan

Pj-089 Japanese Poster Session 089

Jp

May 23 (Sat) 13:15 ~ 14:35 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Neuroimmunology (Clinical study) 7

Chair : Osamu Watanabe

Department of Neurology and Stroke, Kagoshima City Hospital, Japan

Pj-089-1 Clinical significance of the frequency of plasmablasts among B cells in autoimmune encephalitis

Jun Shinmi

Department of Neurology, National Center Hospital, National Center of Neurology and Psychiatry, Japan

Pj-089-2 CSF IL-6 elevation is associated with CSF glucose reduction in autoimmune CNS inflammatory disorders

Yasuhiro Sakashita

Department of Neurology, Kanazawa University, Japan

Pj-089-3 MR Imaging Findings in Autoimmune GFAP Astrocytopathy

Yusuke Akitomi

Department of Neurology, The University of Tokyo Hospital, Japan

Pj-089-4 The usefulness of CBF SPECT 3D-SSP tomographic maps in autoimmune encephalitis: A review of 6 cases

Naomi Takahashi

Department of Neurology, Okitama Public General Hospital, Japan

Pj-089-5 Lymphocyte subsets analysis in thymoma-associated encephalitis may serve as early diagnostic tool

Hiroyuki Koketsu

Department of Neurology, Kobe University Graduate School of Medicine, Japan

Pj-090 Japanese Poster Session 090

Jp

May 23 (Sat) 13 : 15 ~ 14 : 35 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Neuroimmunology (Other immune-mediated neuropathies) 2

Chair : Mitsuru Sanada

Shigaraki National Hospital, Japan

Pj-090-1 Three cases of anti-MAG neuropathy treated with BTK inhibitors

Emi Furusawa

Kitasato University Hospital Department of Neurology, Japan

Pj-090-2 Treatment outcomes of six cases of anti-myelin-associated glycoprotein neuropathy

Hiroaki Nozaki

Department of Neurology, Niigata City General Hospital, Japan

Pj-090-3 Evaluation of the Efficacy of Efgartigimod in anti-NF155 positive Autoimmune Nodopathy

Naoto Arawaka

Department of Neurology, Juntendo University Faculty of Medicine, Japan

Pj-090-4 Clinical features of anti-GalNAc-GDIa antibody-positive patients: four case from our institution

Masahiro Ishida

Department of Neurology, Okayama University Graduate School of Medicine, Dentistry and Pharmaceutical Sciences, Okayama, Japan

Pj-090-5 Clinical Features of Anti-Contactin-Associated Protein 1 Autoimmune Nodopathy in our cases

Go Kurosawa

Department of Neurology, Teikyo University School of Medicine, Japan

Pj-090-6 Lip Biopsy in Seronegative Sjögren's Syndrome with Initial Neuropathy: 5 Responsive Cases

Satoshi Nakahara

St.Marianna university Hospital Department of Neurology, Japan

Pj-090-7 Clinical and Electrophysiological Characteristics of Fisher Syndrome

Kazuki Sogawa

Department of Neurology, Tokushima University Graduate School of Biomedical Sciences, Japan

Pj-091 Japanese Poster Session 091

Jp

May 23 (Sat) 13 : 15 ~ 14 : 35 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Neuropathy (Clinical Study) 2

Chair : Yu Hongo

Department of Neurology, National Defense Medical College., Japan

Pj-091-1 Analysis of Occupational Factors and Disease Subtypes in CTS With ATTRwt, ATTRv, and AL Amyloidosis

Kiyoshi Nakafuji

Department of Medicine -Neurology & Rheumatology, Shinshu University Hospital, Japan

Pj-091-2 Implementation and Outcomes of Our Neuromuscular Clinic Within the Orthopedic Outpatient Department

Kentaro Nakayama

Department of Neurology, Kansai Medical University, Japan

Pj-091-3 Quantitative Evaluation of Nerve Roots Using Nerve Root Ultrasound in Neurological Disorders

Yuya Tokeshi

Department of Cardiovascular Medicine, Nephrology, and Neurology, Graduate school of Medicine, University of the Ryukyus, Japan

Pj-091-4 Severity of diabetic neuropathy and the correlation with retinopathy and nephropathy

Chieko Suzuki

Department of Neurology, Hirosaki University Graduate School of Medicine, Japan

Pj-092 Japanese Poster Session 092

Jp

May 23 (Sat) 13 : 15 ~ 14 : 35 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Neuromuscular junction disease (MG: Treatment) 2

Chair : Akiyuki Uzawa

Graduate School of Medicine, Chiba University, Japan

Pj-092-1 Safety of methylprednisolone pulse therapy in myasthenia gravis: A retrospective study

Tomoko Tanaka

Division of Neurology, Kobe University Graduate School of Medicine, Japan

Pj-092-2 Initial Plasma Exchange Timing and Ventilation Duration in Myasthenic Crisis

Kota Komai

Department of Neurology, Nippon Medical School Hospital, Japan

Pj-092-3 An Observational Study on Biologic Agents for Patients with Generalized Myasthenia Gravis

Yukiyo Yoshimoto

Division of Neurology, Department of Internal Medicine IV, Osaka Medical and Pharmaceutical University Faculty of Medicine, Japan

Pj-092-4 Clinical experience with FcRn inhibitors as early fast-acting treatment and fast-acting treatment

Ryoji Naganuma

Department of Neurology, Kashiwaba Neurology Hospital, Sapporo, Japan

Pj-092-5 Efficacy and safety of complement inhibitors or FcRn antagonists in patients with myasthenia gravis

Genya Watanabe

Department of Neurology, National Hospital Organization Sendai Medical Center, Japan

Pj-093 Japanese Poster Session 093

Jp

May 23 (Sat) 13 : 15 ~ 14 : 35 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Muscle disease (Clinical study) 2

Chair : Takashi Kimura

Hyogo Medical University, Department of Neurology, Japan

Pj-093-1 Clinical features of advanced Marinesco-Sjögren syndrome with homozygous variants in the SIL1 gene

Kenji Sakai

Department of Neurology, Joetsu General Hospital, Japan

Pj-093-2 Clinical Characteristics of Delayed Radiation-Induced Neuromuscular Disorders: A Case Series

Riho Itazawa

Department of Neurology, Hirosaki University, Japan

Pj-093-3 Clinical manifestation of isolated myopathic dropped head syndrome (DHS)

Yasushi Kita

Himeji Central Hospital, Japan

Pj-093-4 Clinical study of hypokalemic myopathy and periodic paralysis
Saori Adachi

Department of Neurology, Nitobe Memorial Nakano General Hospital, Japan

Pj-093-5 Clinical course of four patients with GNE myopathy treated with aceneuramic acid

Takashi Ueyama

NHO Kumamoto Saisyun Medical Center, Japan

Pj-093-6 A study of Neutral lipid storage disease with myopathy siblings carrying the same genetic mutation

Ayako Shioya

Department of Neurology, Faculty of Medicine, University of Tsukuba, Japan

Pj-094 Japanese Poster Session 094

Jp

May 23 (Sat) 13:15 ~ 14:35 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Neuroinfection (Clinical study) 3

Chair : Hitaru Kishida

Yokohama Brain and Spine Center, Japan

Pj-094-1 A long-term follow-up study of Gerstmann-Sträussler-Scheinker Disease (GSS) Cases in our Hospital

Ryusei Nagata

Ohkatsu Hospital, Japan

Pj-094-2 Clinicopathological characteristics of dura mater graft-associated Creutzfeldt-Jakob disease

Daisuke Tahara

Department of Neuropathology, Institute for Medical Science of Aging, Aichi Medical University, Japan

Pj-094-3 Features of V180I Genetic Prion Disease and Evaluation of a Diagnostic Score

Kosei Nakamura

NHO Nishiniigata Chuo Hospital, Japan

Pj-094-4 Clinical features of patients with CJD - a case series in a community hospital

Shigeru Nogawa

Department of Neurology, Tokai University Hachioji Hospital, Japan

Pj-094-5 Two Cases of Ceftriaxone-Associated Encephalopathy in Patients Undergoing Maintenance Hemodialysis

Hitoshi Kawano

Saiseikai shiga hospital, Japan

Pj-095 Japanese Poster Session 095

Jp

May 23 (Sat) 13:15 ~ 14:35 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Epilepsy (Clinical study) 4

Chair : Yuichiro Shirota

Department of Clinical Laboratory, Japan

Pj-095-1 Phenocopy of bvFTD in temporal lobe epilepsy with bilateral amygdala enlargement

Kentaro Tokumoto

NHO Shizuoka Institute of Epilepsy and Neurological Disorders, Japan

Pj-095-2 Reappraisal of somnambulism viewed by Charcot
--- epilepsy? Or hysteria ?

Hidehiro Shibayama
Kameda Medical Center, Japan

Pj-095-3 Novel therapy development for progressive myoclonus epilepsy in
dentatorubral-pallidoluysian atrophy

Sho Kitahara
Department of Neurology, Brain Research Institute, Niigata University, Japan

Pj-095-4 Analysis of Neurological Disorders Associated with Arachnoid Cysts
Takayuki Kosaka

Department of Neurology, Kumamoto Medical Center, Japan

Pj-095-5 long-term clinical features of two cases of anti-GAD antibody-positive
drug-resistant epilepsy

Toshi Natsuhara
Department of Neurology, Kyoto University Graduate School of Medicine, Japan

Pj-096 Japanese Poster Session 096

Jp

May 23 (Sat) 13 : 15 ~ 14 : 35 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

**Neurorehabilitation, Medical engineering, Medical treatment for
incurable diseases 4**

Chair : Kazushi Suzuki
Division of Neurology, National Defense Medical College, Japan

Pj-096-1 Association between density of board-certified neurologists and
neurological diseases

Ryutaro Hanyu
Department of Neurology, Brain Research Institute, Niigata University, Japan

Pj-096-2 Music therapy for sadness of intractable disease patient

Yumi Minaki
Odiya Sakura Hospital, Japan

Pj-096-3 Survey on Medical Care Delivery Systems for Intractable Diseases by
Disease Category

Takafumi Miyachi
NHO Yanai Medical Center, Department of Neurology, Japan

Pj-096-4 Ideal approach of periodical SMON examination seen from
questionnaires on the examination in Nagano

Minori Kodaira
Department of Medicine (Neurology and Rheumatology), Shinshu University School of Medicine,
Japan

Pj-096-5 46 cases with neurological disorders who underwent percutaneous
transesophageal gastro-tubing (PTEG)

Shoko Deguchi
Okayama city hospital, Department of Neurology, Japan

Pj-096-6 Prognosis of peripheral facial nerve palsy;2nd report for acupuncture and rehabilitation therapy

Nobuko Shiraiwa

Department of Neurology, Center for Integrative Medicine, Tsukuba University of Technology, Japan

Pj-097 Japanese Poster Session 097

Jp

May 23 (Sat) 13:15 ~ 14:35 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Neuropsychology 3

Chair : Chiyoko Nagai

Faculty of Medical Science for Health, Department of Speech-Language Pathology & Audiology, Teikyo Heisei University, Japan

Pj-097-1 Mechanisms of Anton syndrome

Mitsuaki Bandoh

Tokyo Metropolitan Neurological Hospital neurological department, Japan

Pj-097-2 Theoretical basis of the association theory of Wernicke

Katsuhiko Takeda

Bunkyo Cognitive Neuroscience Laboratory, Japan

Pj-097-3 Proper name anomia: two case reports

Yuichiro Inatomi

Department of Neurology, Saiseikai Kumamoto Hospital, Japan

Pj-097-4 elucidation of the mechanisms of pure dystextia

Haruka Kobayashi

Department of Neurology, Brain Research Institute, Niigata University, Japan

Pj-098 Japanese Poster Session 098

Jp

May 23 (Sat) 13:15 ~ 14:35 Poster Session (PACIFICO Yokohama Exhibition Hall 1F Hall B)

Medical ethics, Education, Career development and others

Chair : Masaya Hironishi

Wakayama Medical University, Kihoku Hospital, Neurology, Japan

Pj-098-1 Rotations in developmental care facilities and trainees' understanding of disability medicine

Miho Osako

Department of Neurology, Tokyo Metropolitan Kita Medical and Rehabilitation Center for the Disabled, Japan / Department of Internal Medicine, Tokyo Metropolitan Kita Medical and Rehabilitation Center for the Disabled, Japan

Pj-098-2 Career Pathways for Trained Neurologists in Neuroendovascular Therapy

Ryo Usui

Kitasato University, Department of Neurology, Japan

Pj-098-3 **Structured Education in Neuro-Resuscitation: Neuro-Monitoring and Neurological Examination**

Eisei Hoshiyama

Department of Neurology, Dokkyo Medical University, Japan / Emergency and Critical Care Center, Dokkyo Medical University Hospital, Japan

Pj-098-4 **Geographic heterogeneity in neurologist distribution in Japan and its influences**

Aki Arai

Honjo General Hospital Department of Neurology, Japan

Pj-098-5 **Improving access to neurology services in regional core cities**

Tsukasa Saito

Social Medical Corporation Monju-group Kameda Hospital, Japan

Pj-098-6 **Current status of transition from pediatric to adult care**

Akira Taniguchi

Ise Red Cross Hospital, Department of Neurology, Japan
